WMO OMM



World Meteorological Organization Organisation météorologique mondiale Organización Meteorológica Mundial Всемирная метеорологическая организация المنظمة العالمية للأرصاد الجوية 世界气象组织

Secrétariat

7 bis, avenue de la Paix – Case postale 2300 CH 1211 Genève 2 – Suisse Tél.: +41 (0) 22 730 81 11 Fax: +41 (0) 22 730 81 81 wmo@wmo.int – www.wmo.int

GENEVA, 8 June 2016

Our ref.: OBS/WIS/DMA/WWR-IV

- Annex: 1 (available in English only)
- Subject: Collection of data from Region IV for publication in World Weather Records 2015
- Action required: Submission of data to the regional coordinating centre (see address below) at the earliest convenience **but not later than 31 July 2016**

Dear Sir/Madam,

Arrangements have now been made for the preparation and publication of the World Weather Records (WWR) 2015 series. As you may know, the Seventeenth World Meteorological Congress (Cg-17) noted the successful implementation of the new approach for annual submission of the World Weather Records and urged Members to submit their data in due time as described by Resolution 14 (EC-64) – Submission of World Weather Records on an annual basis.

The Commission for Basic Systems (CBS) invited CBS lead centres for GCOS to actively participate in the collection, compilation and the dissemination of these records as described in Resolution 14 (EC-64).

The National Centers for Environmental Information (NCEI; formerly NCDC) in Asheville, as a CBS lead centre in RA IV, have kindly accepted to act as regional coordinating centre for the collection of the WWRs, i.e., to collect and edit the relevant data from Members of RA IV for onward transmission for publication.

I therefore invite you to prepare the data from your country together with station notes. The data should cover 2015 and **if not yet submitted**, please also provide the data for the periods 1991-2000, 2001-2010 and the years 2011, 2012, 2013 and 2014. Our data bases are still showing big data gaps in most parts of the world for the mentioned periods and years.

The data elements to be included are monthly and annual means of station pressure, sea level pressure, mean temperature, maximum temperature and minimum temperature, and monthly and annual totals of precipitation. These data are needed for the stations published in WMO Publication No. 9, Volume A, Observing Stations (see: http://www.wmo.int/pages/prog/www/ois/volume-a/vola-home.htm). Additional stations are welcome, and should include data from the earliest record available.

To: Permanent Representatives of Members of Regional Association IV (AMN-567)

cc:	President and vice-president of Regional Association IV)
	President and vice-president of CCI)
	President and vice-president of CBS) (for information)
	Director of the National Centers for Environmental)
	Information (NCEI), Asheville)

It is requested that data be digitized and provided in either EXCEL or text format, **preferably following the** <u>new draft guidelines</u> as attached to this letter. A <u>new EXCEL</u> <u>template</u> is available at http://www.wmo.int/pages/prog/wcp/wcdmp/GCDS_2.php. The previous guidelines including template are accessible through the same link and can be followed should any difficulty arise for Members from the new draft guidelines.

Please note that in the new draft guidelines the ASCII format option has been removed from the guidelines. In addition, various smaller technical and editorial modifications have been made and some practical context information has been added. I invite you to share your observations regarding the new draft guidelines by 30 September 2016 (contact information see below). Based on your feedback, it is planned to publish the new guidelines by the end of 2016 to be fully operational from 2017, i.e. collection of WWR 2016.

To facilitate the publication of data from North America, Central America and the Caribbean in the World Weather Records, I should be grateful if you would send your contribution at your earliest convenience to:

> Mr Bryant Korzeniewski NOAA's National Centers for Environmental Information (NCEI) Center for Weather and Climate (CWC) 151, Patton Avenue, Room 514 Asheville, NC 28801-5001 USA Tel.: +1 828 271 4307 Fax: +1 828 271 4022 gcos.ncdc@noaa.gov

As an alternative, the data could also be sent to:

Mr Peer Hechler (OBS/WIS/DMA) World Meteorological Organization 7 bis, avenue de la Paix CH 1211 Geneva 2 Switzerland Tel.: +41 (0) 22 730 82 24 wcdmp@wmo.int

I should like to emphasize the need to take the utmost care in the preparation of the material, adhering strictly to the formats indicated and providing all the required information relating to the stations. The station notes are considered an essential part of the whole presentation and should be prepared concurrently with the data listings.

Should you require further clarification, please do not hesitate to contact the WMO Data Management Applications Division (Mr Omar Baddour and Mr Peer Hechler: wcdmp@wmo.int).

Yours faithfully,

(E. Manaenkova) for the Secretary-General

<u>New Draft Guidelines</u> for the Submission of the World Weather Records 2011+

Version 2.0, May 2016, WMO/DMA/PH

Table of Contents

Ι.	BACKGROUND	\$
1.1	L History	3
1.2	2 Submission Channels of the WWRs	3
1.3	3 Quality Assurance and Accessibility of WWRs	3
н.	METHODOLOGY FOR REPRESENTING THE WWRs	}
١١.	1 Data Elements	3
١١.	2 Data Format	ł
	Option 1: Excel	;
	(a) Station Header Records	5
	(b) Yearly Data Records	5
	Option 2: Text	7
	(a) Station Header Records	7
	(b) Yearly Data Records	7
١١.	3 History Metadata (Station Notes)	3
Ann	ex I: Proposed Collection Mechanism By Region)
Ann	ex II: Example Excel File (single station per tab))
Ann	ex III: Example Text File (single station per file)11	L
Ann	ex IV: Station Notes Example	3

I. BACKGROUND

I.1 History

The World Weather Records (WWR) database contains historical monthly climatic data from land surface stations worldwide. First released in 1927, the WWR database has been widely employed in operational climate monitoring, international climate assessments, and numerous other applications. To date, there have been nine editions of WWR, the first containing data up through 1920, with each successive release containing data for another decade (i.e., 1921-1930, 1931-1940, 1941-1950, 1951-1960, 1961-1970, 1971-1980, 1981-1990, 1991-2000, 2001-2010). Since its inception, WWR has been produced by three different institutions: the Smithsonian Institution (1927, 1934, 1947); the U.S. Weather Bureau (1959, 1967); and the U.S. National Oceanic and Atmospheric Administration (NOAA; 1983, 1991, 2005). The current edition will also be produced by NOAA. It addresses the 2011+ period, consistent with WMO Secretariat guidance. However, the previous edition lacked data for many countries, posing an impediment to climate monitoring and assessment activities because of the decline in station coverage starting in 1991. The Sixteenth World Meteorological Congress, Geneva 2011, emphasized the importance of updating the World Weather Records continuously. It requested Members to complete the data sets for WWR 1991-2000, submit WWR for 2001-2010, and - starting from 2011- move towards annual updates of the WWR. This approach has been formalized through Resolution 14 (EC-64) - Submission of World Weather Records on an Annual Basis.

I.2 Submission Channels of the WWRs

Each WMO Member should submit two types of files to the responsible CBS Lead Center for GCOS or to WMO as appropriate (see suggested collection mechanisms in ANNEX-I). The first file type should contain station data for the country (single Excel file containing all stations OR single text file per station), and the second should contain a history Metadata file (ANNEX-IV). These files can be submitted via electronic mail following guidance provided by the WMO Secretariat or by a regional coordinating center. In the list of countries in ANNEX-I the responsible institutions are given for each Region including an E-mail address. In case of any question the Members are encouraged to contact WMO: wcdmp@wmo.int.

I.3 Quality Assurance and Accessibility of WWRs

WWRs can be accessed through the World Data Centre for Meteorology, National Centers for Environmental Information (NCEI), Asheville, United States of America at http://www1.ncdc.noaa.gov/pub/data/wwr/. It is planned to provide access to quality-controlled WWRs within six months of the WMO's submission deadline annually. Routine quality assurance reviews of NCEI focus on gross data problems and include format consistency checks, determination of duplication and reasonableness of submitted values and metadata.

II. METHODOLOGY FOR REPRESENTING THE WWRs

II.1 Data Elements

This document provides guidance on how to format data for submission to the current edition of WWR. As in the previous edition, the database will contain six climatic elements:

- (code 2) Monthly mean station pressure,
- (code 3) Monthly mean sea level pressure,
- (code 4) Monthly mean temperature,
- (code 5) Monthly mean maximum temperature,
- (code 6) Monthly mean minimum temperature,
- (code 7) Total monthly precipitation.

As practiced in recent years, monthly means of daily relative humidity can be submitted too:

(code 8) Monthly mean relative humidity.

The primary goal is to capture year-by-year, month-by-month data for each element at each station (e.g., total monthly precipitation for Geneva in January 2011, February 2011, ..., December 2015+). However, station metadata are also of particular importance. At a minimum these metadata should include station name, coordinates, and elevation. Preferably,

observation times, averaging formulas, instrumentation types, and station changes will also be documented. WMO Members should submit data for all of their surface stations that have an official WMO station index number.

II.2 Data Format

Each WMO Member should submit the WWRs data in either Excel or text file format. This section describes the format of these files, which are similar to previous editions of WWR. There are generally two record types in these formats:

- (a) Station Header records documenting basic station characteristics;
- (b) Yearly Data records with monthly and annual data for a particular year.

Note that Decadal Average (MEAN) and Climate Normal (CLINO) records are no longer necessary with this data submission.

Option 1: Excel

An example of a properly formatted Excel submission is given in ANNEX-II, and an electronic template is provided to Members. A single Excel file should contain all stations for a given country, with a single station on each tab, and each tab containing a single station's elements.

The first line for each station must be a Station Header record. There must be only one Station Header record for each station, and it should contain the most recent information for the station.

The next Yearly Data record section contains data for each climatic element for that station. Leave the element section blank if the station does not report that element.

(a) Station Header Records

Station Header records contain 14 fields documenting basic station characteristics. These characteristics should represent the most recent location of the station. Stated in tabular form, the contents include the following:

FIELD	COLUMNS	CONTENTS	NOTES							
	1-2		Leave these columns blank							
1	3-7	WMO number	5-digit with leading 0 if applicable, right-justified							
2	8-8	Record type	1 = Station Header record							
3	9-10	Degrees of latitude (0-90)	Right-justified							
4	11-12	Minutes of latitude (0-59)	Right-justified							
5	13-14	Seconds of latitude (if available, 0-59)	Right-justified							
6	15-15	Hemisphere of latitude	N (Northern) or S (Southern)							
7	16-18	Degrees of longitude (0-180)	Right-justified							
8	19-20	Minutes of longitude (0-59)	Right-justified							
9	21-22	Seconds of longitude (if available, 0-59)	Right-justified							
10	23-23	Hemisphere of longitude	E (Eastern) or W (Western)							
11	24-47	Name of country in English	Left-justified							
12	48-71	Name of station in English	Left-justified							
13	72-76	Height of station above sea level (whole meters)	Right-justified							
14	77-83	Height of barometer above sea level (tenths of Right-justified meters)								

(b) Yearly Data Records

Each Yearly Data record contains monthly and annual data for a particular year. These records contain 17 fields documenting the WMO number, element type, year, monthly data values, and the annual value. Stated in tabular form, the contents include the following:

	COLUMNS	CONTENTS	NOTES
		CONTENTS	
	1-2		Leave these columns blank
1	3-7	WMO number	5-digit with leading 0 if applicable, right-justified
2	8-8	Element type	 2 = mean station pressure in tenths of hpa. 3 = mean sea level pressure in tenths of hpa. 4 = mean daily air temperature in tenths of a °C. 5 = total precipitation in tenths of a mm. 6 = mean daily maximum air temperature in tenths of a °C. 7 = mean daily minimum air temperature in tenths of a °C. 8 = mean of the daily relative humidity in whole percent.
3	9-12	Year	4-digits
4	13-13	Record type	Blank = Yearly Data record
5	14-18	January	If a value is missing, then leave the field blank.
6	19-23	February	
7	24-28	March	All values should be right-justified.
8	29-33	April	Decimal points are implied (e.g., 1014.1 hpa should be entered as
9	34-38	May	"10141").
10	39-43	June	
11	44-48	July	If there is no value after the decimal, the last character should be
12	49-53	August	

13	54-58	September	"0" (e.g., 1014.0 hpa should be "10140").					
14	59-63	October	ra					
15	64-68	November	If the temperature is negative, the 1° value of the field should be "-					
16	69-73	December	(e.g., -1 <i>3)</i> .					
17	74-78	Annual	If precipitation is zero, the field should be "0". If there was trace precipitation, the field should be "T".					

If data are missing for an entire year, then only complete Fields 1-4.

Yearly Data can be provided only for the data-year in question but also for other data-years where data were not previously submitted or need to be corrected.

- 6 -

Option 2: Text

An example of a properly formatted text file submission is given in ANNEX-III, and a template is provided. A single text file should contain one station containing that single station's elements.

The first section for each station must be a Station Header record. There must be only one Station Header record for each station, and it should contain the most recent information for the station.

The next Yearly Data record section contains data for each climatic element for that station. Leave the element section blank by using spaces if the station does not report that element. Do not use 9's or -9's or tabs to represent missing data. (a) Station Header Records

Station Header records contain 7 rows documenting basic station characteristics. These characteristics should represent the most recent location of the station.

LINE	POSITION	CONTENTS	NOTES								
1	40-44	WMO number	5-digit with leading 0 if applicable, left-justified								
2	40-63	Name of station in English	Left-justified								
3	40-63	Name of country in English	Left-justified								
4	40-49	Latitude Degrees (0-90) Minutes (0-59) Seconds (0-59) Direction (N or S)	Left-justified, example 09 04 00N								
5	40-50	Longitude Degrees (0-180) Minutes (0-59) Seconds (0-59) Direction (E or W)	Left-justified, example 000 45 59S								
6	40-49	Height of station above sea level	Left-justified, whole meters								
7	40-49	Height of barometer above sea level	Left-justified, tenths of meters, explicit decimal								

(b) Yearly Data Records

Each Yearly Data record contains monthly and annual data for a particular year. These records contain 14 fields documenting the year, element type, monthly data values, and the annual value. Stated in tabular form, the contents include the following:

FIELD	COLUMNS	CONTENTS	NOTES
1	1-4	Year	4-digits
2	6-11	January	If a value is missing, then leave the field blank.
3	13-18	February	
4	20-25	March	All values should be right-justified.
5	27-32	April	Decimal points should be explicitly noted except for relative
6	34-39	Мау	humidity (which is rounded to whole percent).
7	41-46	June	
8	48-53	July	If there is no value after the decimal, the last character should be
9	55-60	August	0 (e.g., 1014 npa snould be 1014.0).
10	62-67	September	If the temperature is negative, the 1 st value of the field should be "-
11	69-74	October	" (e.g., -13).
12	76-81	November	
13	83-88	December	If precipitation is zero, the field should be "0". If there was trace
14	90-95	Annual	

If data are missing for an entire year, then only complete Field 1. If data are missing for any months, use spaces to fill (not the tab key).

Yearly Data can be provided only for the data-year in question but also for other data-years where data were not previously submitted or need to be corrected.

II.3 History Metadata (Station Notes)

Each WMO Member should submit one file containing all of the Metadata (station notes) for all of the stations in their country. There is no required format for this information, but there is some preferred content to make the greatest possible use of the submitted climatic data. Critical content includes the times of observation, the formulas used in computing means, and the types of instrumentation. To the extent possible, this information should be specific to each climatic element. Furthermore, it is extremely helpful if historical changes are explicitly documented for all types of metadata, including observation times, averaging formulas, instrumentation types, and basic parameters such as location and elevation. An example of station notes is given in ANNEX-IV.

Annex I: Proposed Collection Mechanism By Region

Note: Members may choose to submit their WWRs through any of the below mentioned CBS Lead Centers for GCOS. Members are invited to notify WMO (<u>wcdmp@wmo.int</u>) should they decide to deviate from the below proposed scheme.

REGION	Countries (ENG)	Collection mechanism	Alternative
RAI	All Members of RA I	CBS Lead Center for GCOS Africa, Morocco (DMN), <u>cbs.lead.centre.4gcos@gmail.com</u>	WMO, Geneva; wcdmp@wmo.int
RAII	All Members of RA II	CBS Lead Center for GCOS Asia, Japan (JMA); <u>climatemonitor@met.kishou.go.jp</u>	WMO, Geneva; wcdmp@wmo.int
RA III	All Members of RA III	CBS Lead Center for GCOS South America, Chile (DMC)	WMO, Geneva; wcdmp@wmo.int
RA IV	All countries of RA IV	CBS Lead Center for GCOS North and Central America, Caribbean, USA (NCEI); gcos.ncdc@noaa.gov	WMO, Geneva; wcdmp@wmo.int
RAV	All Members of RA V	CBS Lead Center for GCOS South West Pacific, Australia, (BOM); GCOS Lead Centre RAV@bom.gov.au	WMO, Geneva; wcdmp@wmo.int
RA VI	All Members of RA VI	CBS Lead Center for GCOS Europe, Germany (DWD); <u>christiana.lefebvre@dwd.de</u>	WMO, Geneva; wcdmp@wmo.int

Annex II: Example Excel File (single station per tab)

Control Control <t< th=""><th></th><th></th><th></th><th>s)</th><th>ords All Element</th><th>eather Rec e Station (</th><th>World We heet, Single</th><th>Data S</th><th></th><th></th><th></th><th>Description</th><th></th><th>0</th></t<>				s)	ords All Element	eather Rec e Station (World We heet, Single	Data S				Description		0
Image: Normal bit with the second s	68 69 70 71 72 73 74 75 76 77 78 79 80 81 5	9 60 61 62 63 64 65 66 67 68	3 54 55 56 57 58 5	49 50 51 52 53	44 45 46 47 48	39 40 41 42 43	34 35 36 37 38	29 30 31 32 33	24 25 26 27 28	19 20 21 22 23	a 14 15 16 17 18	ecord	ion Header R	Stat
Number Notation Number of the state is the transmission of the state is a first of transmission of transmissio of transmission of transmission of transmission of tran	G G H I I I I I I I I I I I I I I I I I	Fame (English)	Station M		ST/		ry Name (English)	Count VIE	COUNTRY NA	Image Image <th< th=""><th>S N/S D D D 59 8</th><th>C Latitude D D M M S 47 22 5</th><th>A B WMO Number * 999999 1</th><th>Blank</th></th<>	S N/S D D D 59 8	C Latitude D D M M S 47 22 5	A B WMO Number * 999999 1	Blank
Image: Non-transmission of the second seco	68 69 70 71 72 73 74 75 76 77 78	9 60 61 62 63 64 65 66 67 68	3 54 55 56 57 58 5	49 50 51 52 53	44 45 46 47 48	2.8) 39 40 41 42 43	means 102	mple 10228	mplied, exa	a, decimal i	tenths of hP	rd Pressure (te	rly Data Reco Mean Station	Year (2) M
Image: space in the s	December Annual	October November 10166 10206	September 6 10124	August 10056	July 10000	June QQQ8	May 10031	April 10111	March 10123	February 10218	January 10228	I J Year #	A B WMO Number *	Blank
Image: space of the s	0 10266 10127 27 10247 10133	10161 10200 10158 10227 10185 10204	10121 10124 10124 0 10101 5 10107	10044 10040 10045	9997 10004	10020 10008 10039	10076 10070 10041	10094 10101 10086	10127 10190 10152	10205 10209 10168	10207 10238 10238	2011 2012 2013 2014	99999 2 99999 2 99999 2	
No. 2.4 A. 4 A. 5 B No. 6 A. 6 C	0 10263 10128	10174 10170	3 10119	10036	10000	9979	10049	10077	10181	10249	10234	2015 2016	99999 2 2 Vean Sea Lev	(3) [
Image 2000 3 2011 Image 2000 10228 10102 10104 10027 10038 10008 10038 10008 10018 10008 10019 1013 10038 10008 10119 10128 10113 10038 10008 10113 10038	68 69 70 71 72 73 74 75 76 77 78	9 60 61 62 63 64 65 66 67 68	3 54 55 56 57 58 59	49 50 51 52 53 9	44 45 46 47 48	39 40 41 42 43 K	34 35 36 37 38	29 30 31 32 33	24 25 26 27 28	19 20 21 22 23		9 10 11 12 13 I J	3 4 5 6 7 8 A B	1 2 Plank
99999 3 2015 10275 10280 10141 10086 10072 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 10272 1058 1057 1058 1057 1058 1057 1058 1057 1058 1057 1058 1057 1058 1057 1058 1057 1	S 10325 10167 10 10307 10165 37 10287 10171 43 10288 10164	10204 10245 10199 10240 10196 10267 10223 10243	2 10161 2 10161 3 10161 6 10138 1 10144	10092 10080 10076 10081	10036 10033 10040 10037	10034 10056 10044 10075	10067 10113 10107 10078	10149 10132 10139 10123	10162 10165 10229 10191	10258 10245 10249 10207	10269 10247 10279 10279	2011 2012 2013 2014	99999 3 99999 3 99999 3 99999 3 99999 3	
Image A B Image I			2 10156	10072	10036	10015	10086	10114 mal implied	elsius, deci	10290	10275	2015 2016 Temperatu	999999 3 3 Vean Daily Ai	(4) M
9999 4 9000 4 9011 2 1 34 98 141 219 226 277 267 205 107 99999 4 2014 223 29 78 163 2010 247 281 262 206 132 99999 4 2015 228 229 78 163 205 280 249 213 140 99999 4 2015 228 229 78 164 198 256 240 221 149 (5) Total Precipitsion (tenths of m, decimal implied, example 122 bit is 5 at 7 8 0 0 10 0 1 4 5 at 7 8 0 0 10 0 4 6 4 0 4 0 0 14 6 0 0 4 0 0 14 5 0 0 14 6 0 0 0 14 6 0 0 0 14 5 0 0 14 0 0 0 14 0 0 0 14 0 0 0 14 0 0 0 14 0 0 0 0	Be be 10 11 13 14 15 16 17 16 December Annual 53 -24 129<	October November	September 8 212	August 258	July 273	June 257	May 231	April 144	March 73	February -15	January -54	9 10 11 12 13 Year # 2011	A B WMO Number *	Blank
99999 4 2015 -28 -29 63 104 198 286 279 280 221 148 (5) Total Precipitation (ternts of mm, decimal implied, example 122 means 12.2 mm) (5) Total Precipitation (ternts of mm, decimal implied, example 122 means 12.2 mm) (5) Total Precipitation (ternts of mm, decimal implied, example 122 means 12.2 mm) (5) Total Precipitation (ternts of mm, decimal implied, example 122 means 12.2 mm) (5) Total Precipitation (ternts of mm, decimal implied, example 122 means 12.2 mm) (5) Total Precipitation (ternts of mm, decimal implied, example 132 means 12.2 mm) (6) Mon David (ternts of mm, decimal implied, example 132 means 12.3 m	14 -29 132 35 3 129 35 -5 135	107 34 132 35 140 65	7 205 2 206 9 213	257 262 249	275 261 260	236 247 250	219 210 205	141 153 163	98 63 78	34 9 29	1 -31 -23	2012 2013 2014	999999 4 999999 4 999999 4	
1 2 3 4 5 6 7 8 9 00 11 12 10 H 15 10 71 8 10 20 12 12 12 12 12 12 12 12 12 12 12 12 12	75 -25 132	149 75	221	260	279	256	198 12.2 mm)	164 122 means	63 ed, example	-29 cimal implie	-28 Is of mm, de	2015 2016 ation (tenths	99999 4 4 Fotal Precipit	(5) 1
99999 5 2011 122 39 0 144 50 458 1266 497 92 457 99999 5 2013 96 29 329 130 308 661 577 342 679 668 99999 5 2015 15 100 2 170 6644 664 961 1234 245 18 99999 5 2015 15 100 2 170 6644 664 961 1234 245 55 <td< th=""><td>68 69 70 71 72 73 74 75 76 77 78 December Annual</td><td>60 61 62 63 64 65 66 67 68 October November</td><td>3 54 55 56 57 58 59 September</td><td>49 50 51 52 53 1 August</td><td>44 45 46 47 48</td><td>39 40 41 42 43 K June</td><td>34 35 36 37 38 May</td><td>29 30 31 32 33 April</td><td>24 25 26 27 28 March</td><td>19 20 21 22 23 February</td><td>3 14 15 16 17 18 January</td><td>9 10 11 12 13 I J Year #</td><td>3 4 5 6 7 8 A B WMO Number *</td><td>1 2 Blank</td></td<>	68 69 70 71 72 73 74 75 76 77 78 December Annual	60 61 62 63 64 65 66 67 68 October November	3 54 55 56 57 58 59 September	49 50 51 52 53 1 August	44 45 46 47 48	39 40 41 42 43 K June	34 35 36 37 38 May	29 30 31 32 33 April	24 25 26 27 28 March	19 20 21 22 23 February	3 14 15 16 17 18 January	9 10 11 12 13 I J Year #	3 4 5 6 7 8 A B WMO Number *	1 2 Blank
99999 5 2014 7 88 1 372 391 666 1820 507 742 99 5 2016 15 100 2 170 684 664 961 1234 245 18 (6) Mean Daily Maximum Air Temperature (tenths of degree Celsius, decimal implied, example -13 means -1.3 C) 1 1 3 4 5 6 7 8 9 10 1 3 4 15 16 1 1 4 6 6 1 10 <td>4 30 3389 0 79 3704 29 1 4449</td> <td>457 214 226 0 668 429</td> <td>7 92 3 507 2 879</td> <td>497 743 342</td> <td>1286 549 577</td> <td>458 1035 661</td> <td>50 123 308</td> <td>144 377 130</td> <td>0 60 329</td> <td>39 5 29</td> <td>122 0 96</td> <td>2011 2012 2013</td> <td>99999 5 99999 5 99999 5</td> <td></td>	4 30 3389 0 79 3704 29 1 4449	457 214 226 0 668 429	7 92 3 507 2 879	497 743 342	1286 549 577	458 1035 661	50 123 308	144 377 130	0 60 329	39 5 29	122 0 96	2011 2012 2013	99999 5 99999 5 99999 5	
(b) Mean Daily Maxmum Air Temperature (tentrs of acgree Celsus, accima implied, example -13 means -1.3 C) 1	10 32 4835 4 10 4107	99 80 18 4	4 245	507 1234	1820 961	696 664	391 684	372	1	88 100	7 15	2014 2015 2016	999999 5 999999 5 5	
Instrume	68 69 70 71 72 73 74 75 76 77 78	0 60 61 62 63 64 65 66 67 68	3 54 55 56 57 58 59	49 50 51 52 53 1	3 means -1. 44 45 46 47 48	example -1 39 40 41 42 43 K	34 35 36 37 38	29 30 31 32 33	24 25 26 27 28	e (tentns o 19 20 21 22 23	3 14 15 16 17 18	9 10 11 12 13 I J	3 4 5 6 7 8 A B	(6) N 1 2
Society Society <t< th=""><td>11 16 183 33 5 187 71 53 180</td><td>191 111 161 83 186 71</td><td>5 267 6 271 7 255</td><td>305 306 317</td><td>323 327 310</td><td>308 285 304</td><td>295 279 268</td><td>204 200 208</td><td>139 163</td><td>36 101</td><td>-13 59</td><td>2011 2012 2013</td><td>999999 6 999999 6</td><td></td></t<>	11 16 183 33 5 187 71 53 180	191 111 161 83 186 71	5 267 6 271 7 255	305 306 317	323 327 310	308 285 304	295 279 268	204 200 208	139 163	36 101	-13 59	2011 2012 2013	999999 6 999999 6	
(7) Mean Daily Minimum Air Temperature (tenths of degree Celsius, decimal implied, example -93 means -9.3 C) 1 2 4 6 7 8 9 10	1 00 100 19 31 188 34 16 185	200 119 206 134	3 267 3 272	293 303	307 327	304 304 315	266 264 256	200 223 227	134 125	82 13	26	2015 2014 2015 2016	99999 6	
Bank WMO Number Verser # January February March Appl May Jane Jan Applet September Octoor November 999999 7 2011 -93 -60 13 83 158 2007 227 212 160 88 999999 7 2012 -52 -28 32 89 154 194 228 215 143 57 99999 7 2013 -75 -39 19 96 154 194 220 212 164 87 99999 7 2015 -66 -63 4 100 145 202 2210 164 87 99999 7 2015 -66 -63 4 100 145 202 2210 164 87 12 3 4 5 6 7 8 9 101 15 2 3 4 5 2 5 4 2 2 3 0 3 1 2 3 3 4 3 5 8 3 7 3 3 9 40 4 1 4 2 4 3 4 4 5 6 4 7 4 6 4 9 0 5 1 5 2 5 1 5 5 6 5 7 8 9 9 0 6 1 6 2 5 6	68 69 70 71 72 73 74 75 76 77 78	9 60 61 62 63 64 65 66 67 68	<u>i3 54 55 56 57 58 55</u>	3 C) 49 50 51 52 53	3 means -9.3	example -93 39 40 41 42 43 K	al implied, a	sius, decim 29 30 31 32 33	degree Cel	e (tenths of 19 20 21 22 23	Temperature 3 14 15 16 17 18	nimum Air T 9 10 11 12 13 I J	Mean Daily Mi	(7) N
99999 7 2013 -75 -39 19 96 154 194 220 212 164 78 99999 7 2014 -66 -16 26 107 148 202 212 164 78 99999 7 2015 -65 -63 4 100 145 203 236 222 174 95 8 7 2016 -65 -63 4 100 145 203 236 222 174 95 (8) Mean of the Daily Relative Humidity (whole percent, example 57 means 57%) 1 13 45 45 38 40 41 42 44 46 46 90 51 52 55 59 59 50 51 52 55 59 59 50 51 52 54 55 59 59 50 51 52 54 55 59 59 50 51<52 54	December Annual -3 -66 77 16 -62 80	October November 88 -3 57 -16	September 2 160 5 143	August 212 215	July 227 228	June 207 194	May 158 154	April 83 89	March 13 32	February -60 -28	January -93 -52	Year # 2011 2012	WMO Number • 99999 7 99999 7	Blank
Image: Non-Stress Stress Stres Stress Stress Stress Stress Stress Stress Stress Stre	2 -42 82 21 -36 89 26 -59 85	78 2 87 21 95 26	2 164 0 164 2 174	212 210 222	220 219 236	194 202 203	154 148 145	96 107 100	19 26 4	-39 -16 -63	-75 -66 -65	2013 2014 2015	999999 7 999999 7 999999 7	
A B I J Bank WM0 Number * Year # January February March Applied May June Jule August September Ocbber November 99999 8 2011 57 62 31 46 44 63 68 71 63 73 99999 8 2012 42 43 36 45 49 64 68 74 66 56 99999 8 2013 50 52 56 50 62 56 71 67 73 59 99999 8 2014 36 34 32 40 44 54 67 65 60 54	68 69 70 71 72 73 74 75 76 77 78	9 60 61 62 63 64 65 66 67 68	i3 54 55 56 57 58 5 ^r	49 50 51 52 53	44 45 46 47 48	39 40 41 42 43	57%) 34 35 36 37 38	e 57 means	ent, exampl	whole perc	re Humidity (3 14 15 16 17 18	2016 aily Relative 9 10 11 12 13	7 Wean of the D 3 4 5 6 7 8	(8) N
99999 8 2012 42 43 36 45 49 64 68 74 66 56 99999 8 2013 50 52 56 50 62 56 71 67 73 59 99998 8 2014 36 34 32 40 44 54 67 65 60 54	December Annual 36 42 56	October November 73 56	September 1 63	August 71	July 68	June 63	May 44	April 46	March 31	February 62	January 57	I J _{Year} # 2011	A B WMO Number * 99999 8	Blank
	6 65 55 34 42 59 18 56 49	56 46 59 64 54 48	1 66 7 73 5 60	74 67 65	68 71 67	64 56 54	49 62 44	45 50 40	36 56 32	43 52 34	42 50 36	2012 2013 2014	999999 8 999999 8 999999 8	
99999 8 2015 41 47 31 34 48 60 66 73 59 50 8 2016		50 45	3 59	73	66	60	48	34	31	47	41	2015	99999 8	
Column Descriptions A World Webrookgical Organization (WMQ) Number. 99999–Unassigned. B *Element Designator Code. 1=Header Record, 2=Mean Station Pressure (tenths of hPa), 3=Mean Sea Level Pressure (tenths of hPa), 3=Mean Sate Level Pressure (tenths of hPa), 5=Total Amount of Precipitiation (tenths of orgo), 6=Mean of the Daily Maximum Air Temperature (tenths of deg C), 7=Mean of the Daily Maximum Air Temperature (tenths of deg C), 8=Mean of the Daily Maximum Air Temperature (tenths of deg C), 8=Mean of the Daily Maximum Air Temperature (tenths of deg C), 8=Mean of the Daily Maximum Air Temperature (tenths of deg C), 8=Mean of the Daily Maximum Air Temperature (tenths of deg C), 9 8=Mean of the Daily Relative Humidity in whole percent C Latitude. Format: DDMMSS (for V), where DDD=Degrees (000 to 180), MM=Minutes (00 to 59), SS=Seconds (00 to 59), K = South D Longitude. Format: DDMMSS (for V), where DDD=Degrees (000 to 180), MM=Minutes (00 to 59), SS=Seconds (00 to 59), K = East, W = West E Country Name (in English) F Station Name (in English) G Height of Station. Format: whole meters. H Height of Barometer. Format: BankerYearly Data J #Average Value Designator Code. Format: BlankerYearly Data J #Average Value. Designator Code. Format: BlankerYearly Data<		S= South = East, W = West monthly values.	o 59), N = North, { nds (00 to 59), E =	econds (00 to 5), SS=Seconds	deg C), Jeg C), 0 to 59), SS=Se inutes (00 to 59), blank=missin	n), rre (tenths of or xie re (tenths of or xie percent M=Mnutes (0), MM=Mi 180), MM=Mi scimal implied	9=Unassigned nths of hPa), (tenths of hPa) ths of deg C), nn (tenths of m Air Temperatu Humidity in whu s (00 to 90), M legrees (000 to implied). Data mm, or hPa (d	Number. 9995 ord, n Pressure (te evel Pressure of Precipitatic Daily Maximum Daily Relative te DD=Degree where DD=C where DD=C Blank=Yearly Blank=Yearly	zation (WMO) 1=Header Rec: 2=Mean Statio 3=Mean Sea L 4=Mean Air Tel 5=Total Amouni 3=Mean of the 3=Mean	riptions ological Organi gnator Code. nat: DDMMSS ormat: DDDMM (in English) on. Format: v ometer. Forma le Designator (al Data Values.	Clumn Desc World Meteoro Telement Desi Latitude. Forr Longitude. For Country Name Height of Station Name Height of Barc Year of Data. #Average Vata Monthly/Annua	Cc A B C D E F G G H I J K		

Annex III: Example Text File (single station per file)

85629 WMO Number: Station Name: CURICO GENERAL FREIRE Country Name: CHILE Latitude (DD MM SS N/S): 34 58 00 S Longitude (DDD MM SS E/W): 071 14 00 W Station Height (whole meters): 22.8 Barometer Height (meters, to tenths): 228.0 (2) Mean Station Pressure (tenths of hPa) .T11] Oct MEAN Year Jan Feb Mar Apr Mav Jun Αιια Sep Nov Dec 2011 989.0 986.9 989.1 989.8 990.0 993.8 993.2 992.9 993.5 991.6 989.9 988.3 990.7 2012 988.3 988.5 988.7 990.7 990.5 991.5 990.7 991.3 990.9 991.6 988.6 986.3 989.8 2013 985.2 986.3 987.3 988.3 989.5 991.4 991.2 991.9 992.9 990.1 989.1 987.8 989.3 986.2 987.3 989.8 990.7 989.0 992.7 990.9 990.7 2014 986.9 992.0 990.0 986.2 989.4 987.5 988.7 988.1 2015 986.1 986.3 990.3 990.1 990.0 991.4 992.7 990.4 989.6 989.3 2016 (3) Mean Sea Level Pressure (tenths of hPa) Year Jan Feb Mar Apr Mav Jun Jul Aug Sep Oct Nov Dec MEAN 2011 1015.1 1012.9 1015.4 1016.5 1016.9 1021.2 1020.6 1020.2 1020.6 1018.4 1016.3 1014.4 1017.4 2012 1014.3 1014.6 1015.0 1017.5 1017.7 1018.8 1017.9 1018.5 1017.8 1018.5 1015.0 1012.3 1016.5 2013 1011.0 1012.3 1013.6 1015.1 1016.7 1019.0 1018.6 1019.2 1020.0 1016.7 1015.3 1013.7 1015.9 2014 1012.8 1012.3 1013.6 1016.7 1018.0 1019.5 1016.3 1020.0 1017.8 1017.4 1016.6 1012.3 1016.1 2015 1013.5 1012.1 1012.6 1017.3 1017.2 1017.1 1018.7 1020.1 1017.3 1016.3 1015.0 1014.2 1016.0 2016 (4) Mean Daily Air Temperature (tenths of degrees Celsius) Year Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec MEAN 2011 19.4 19.3 16.7 13.6 12.0 7.2 7.7 8.2 9.8 12.8 15.9 18.8 13.5 2012 19.9 18.6 16.4 12.7 9.6 8.3 9.3 8.8 11.7 12.5 14.9 19.7 13.5 12.2 7.9 6.5 9.7 2013 20.5 19.1 16.1 5.4 8.6 14.0 17.3 19.9 13.1 2014 20.3 18.2 16.4 11.4 8.3 6.1 7.4 7.6 10.9 13.1 15.1 18.1 12.7 2015 10.6 9.6 9.6 7.6 7.6 19.3 18.6 15.8 11.0 13.0 16.2 18.6 13.1 2016 (5) Total Precipitation (tenths of mm) Year Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec MEAN 2.4 191.1 75.2 44.6 110.8 2011 11.7 33.7 18.9 0.2 0 0 0 488.6 2012 7.0 Ω 37.7 14.7 168.9 408.8 208.7 115.1 186.7 43.9 2.0 0 1193.5 2013 1.0 0.3 17.5 55.9 147.9 139.7 116.0 24.9 0.4 0 0.2 512.1 8.3 2014 0 3.0 22.4 203.7 135.2 390.3 108.3 65.2 47.4 6.7 0 983.7 1.5 0.3 2015 0 29.9 25.0 127.1 26.1 126.5 46.7 0.2 0 460.3 6.6 71.9 2016 (6) Mean Daily Maximum Air Temperature (tenths of degree Celsius) Year Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec MEAN 13.9 20.4 29.5 30.8 30.5 26.7 19.1 2011 1.3 3.6 32.3 11.1 1.6 18.2 2012 5.9 10.1 16.3 20.0 27.9 28.5 32.7 30.6 27.1 16.1 8.3 0.5 18.7 2013 1.6 6.1 11.0 20.8 26.8 30.4 31.0 31.7 25.5 18.6 7.1 5.3 18.0 2014 2.6 8.2 13.4 22.3 26.4 30.4 30.7 29.3 26.7 20.0 11.9 3.1 18.8 25.6 2015 2.1 1.3 12.5 22.7 31.5 32.7 30.3 27.2 20.6 13.4 1.6 18.5 2016 (7) Mean Daily Minimum Air Temperature (tenths of degree Celsius) Year Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec MEAN 1.3 8.3 2011 9.3 6.0 15.8 20.7 22.7 21.2 16.0 8.8 0.3 6.6 7.7 2012 5.2 2.8 3.2 8.9 15.4 19.4 22.8 21.5 14.3 5.7 1.6 6.2 8.0 11.0 20.8 26.8 30.4 31.0 31.7 25.5 18.6 7.1 18.0 2013 1.6 6.1 5.3 2014 2.6 8.2 13.4 22.3 26.4 30.4 30.7 29.3 26.7 20.0 11.9 3.1 18.8 27.2 2015 12.5 22.7 31.5 32.7 30.3 2.1 1.3 25.6 20.6 13.4 1.6 18.5 2016 (8) Mean of the Daily Relative Humidity (whole percent)

Year	Jan		Feb		Mar		Apr	Мау		Jun		Jul		Aug		Sep		Oct	Nov		Dec		MEAN	
2011		57		62		31	4	6	44		63		68		71		63	73	3	56		42	56	5
2012		19		22		29	3	5	41		45		46		46		42	37	,	28		22	34	1
2013		20		22		25	3	3	41		45		47		46		43	38	3	27		20	34	1
2014		20		22		29	3	1	39		45		47		46		43	38	3	27		18	34	1
2015		18		20		26	3	4	40		45		47		47		43	37	,	25		23	34	1
2016																								

- 12 -

Annex IV: Station Notes Example

TRINIDAD AND TOBAGO (2 stations)

General:

All observation hours were in local time. A total of 24 hourly observations per day were used in computing the means of temperature and pressure except at Crown Point. At this station, part time operation existed during June to December 1980; January 1976; 1977, and 1978; February, March, April 1976; and for February, March, and April 1978. Observation hours during these periods were 0700 to 2300 hours or 0800 to 22 hours.

At Piarco, the period of record of CLINO values for sea level pressure and temperature was 1946-1975. For precipitation it was 1946-1980. No CLINO exists for Crown Point since past records begin only in 1970.

Pressure:

Pressure was measured by a Kew Pattern barometer until 1974 after which a precision Aneroid type was used. Heights of the barometers were 13.4 meters at Piarco and 6.7 meters at Crown Point.

Temperature:

Thermometers, housed in a standard Stevenson Screen, were 1.2 meters above ground at both stations.

Precipitation:

Rainfall was measured by a pot gauge. A Tilting – Siphon rain recorder adjusted the pot gauge. Rainfall was measured four times daily at 0200, 0800, 1400, and 2000 hours local time at both stations except during part time operations at Crown Point. Heights of the rain gauges were .3 meters at Piarco, and 3 meters at Crown Point.

URUGUAY (13 stations)

General:

CLINO values correspond to the period 1951-80 for precipitation and 1946-1980 for other elements. Rain gauges and thermometers were located 1.5 meters above the ground.

Pressure and Temperature:

The monthly pressure and temperature values were both computed from the equation: 1/10(00+03+06+09+12+15+18+21 hours GMT + Mean Max + Mean Min)

Precipitation:

The daily values were measured at 0900 hours GMT.