

**WMO OMM**

World Meteorological Organization
Organisation météorologique mondiale
Organización Meteorológica Mundial
Всемирная метеорологическая организация
المنظمة العالمية للأرصاد الجوية
世界气象组织

Secrétariat

7 bis, avenue de la Paix – Case postale 2300
CH 1211 Genève 2 – Suisse
Tél.: +41 (0) 22 730 81 11
Fax: +41 (0) 22 730 81 81
wmo@wmo.int – public.wmo.int

Notre réf.: 08791/2019/CLW/CLPA/DMA/CLINO8110

1^{er} avril 2019

Annexe: 1

Objet: Rappel: Recueil des normales climatologiques standard de l'OMM pour la période 1981–2010

Suite à donner: Communiquer les données dès que possible et au plus tard le **31 mai 2019**

Madame, Monsieur,

Je me réfère à la lettre du 1^{er} août 2018 (réf.: 20077/2018/CLW/CLPA/DMA/CLINO8110), ci-jointe, par laquelle l'OMM invitait ses Membres à communiquer les normales climatologiques standard pour la période 1981–2010 avant le 28 février 2019. Au 1^{er} mars, 34 communications ont été reçues de la part de moins de 20 % des Membres de l'OMM, comme suit:

- 1 communication d'un Membre de la Région I
- 10 communications de Membres de la Région II
- 5 communications de Membres de la Région III
- 1 communication d'un Membre de la Région IV
- 2 communications de Membres de la Région V
- 15 communications de Membres de la Région VI.

Je tiens à rappeler que le recueil des normales climatologiques standard est une publication obligatoire de l'OMM. Si tel n'est pas déjà le cas, je vous invite à suivre cette procédure standard de l'OMM et à communiquer vos normales climatologiques standard conformément à la lettre ci-jointe et à ses annexes, dans les plus brefs délais et au plus tard le **31 mai 2019**.

Veuillez agréer, Madame, Monsieur, l'expression de ma considération distinguée.

(E. Manaenkova)
pour le Secrétaire général

Aux: Représentants permanents (ou directeurs des Services météorologiques ou hydrométéorologiques) des Membres de l'OMM

cc: Présidents des conseils régionaux
Présidente et vice-présidente de la CCI
Président et vice-présidente de la CSB
Président du Comité directeur du SMOC
Directrice des centres nationaux d'information sur l'environnement (NCEI), Asheville, États-Unis d'Amérique

WMO OMM

WEATHER CLIMATE WATER
TEMPS CLIMAT EAU

World Meteorological Organization
 Organisation météorologique mondiale
 Organización Meteorológica Mundial
 Всемирная метеорологическая организация
 المنظمة العالمية للأرصاد الجوية
 世界气象组织

Secrétariat

7 bis, avenue de la Paix – Case postale 2300
 CH 1211 Genève 2 – Suisse
 Tél.: +41 (0) 22 730 81 11
 Fax: +41 (0) 22 730 81 81
 wmo@wmo.int – public.wmo.int

Ref.: 09702/2019-1.0 LCP

Notre réf.: 20077/2018/CLW/CLPA/DMA/CLINO8110

1^{er} août 2018

Annexes: 5 (Annexes 3, 4 et 5 disponibles en anglais seulement)

Objet: Recueil des normales climatologiques standard de l'OMM pour la période 1981–2010

Suite à donner: Communiquer les données dès que possible et **au plus tard le 28 février 2019**

Madame, Monsieur,

Je tiens à attirer votre attention sur les dispositions prises en matière de recueil des normales climatologiques standard de l'OMM. Comme vous vous en souviendrez peut-être, le Dix-septième Congrès météorologique mondial (2015) a adopté la résolution 16 (Cg-17) – Rapport de la seizième session de la Commission de climatologie, pour améliorer la définition de normale climatologique standard en se fondant sur les orientations données par la Commission de climatologie (CCI) de l'OMM. Désormais, le terme «normale climatologique standard» se réfère à la période de 30 ans la plus récente dont la dernière année se termine par le chiffre 0 (1981–2010, 1991–2020, etc.) et non plus à des périodes de 30 ans qui ne se recourent pas (1931–1960, 1961–1990, etc.). Ainsi, c'est la période de 30 ans la plus récente (soit 1981–2010), qui sera utilisée pour mettre en place les nouvelles normes. Vous trouverez dans l'annexe 1 des informations générales ainsi que les raisons et les conséquences de la modification de cette définition.

Le Secrétariat de l'OMM, en collaboration avec les Membres, devrait donc faciliter la mise à jour nécessaire de la publication obligatoire sur les normales climatologiques standard (CLINO, WMO-No. 847).

Pour ce faire, le Centre mondial de données météorologiques, qui est hébergé par les centres nationaux d'information sur l'environnement (NCEI) de l'Administration américaine pour les océans et l'atmosphère (NOAA), a généreusement accepté de continuer de recueillir et de publier les normales climatologiques standard mondiales au nom de l'OMM. Cette publication permettra de disposer de jeux de données mondiaux à long terme qui soient actualisés et répondent à des normes comparables et accessibles.

Je vous invite par la présente à communiquer les normales climatologiques standard pour la période 1981–2010 pour le plus de stations possible de votre pays, y compris les stations enregistrées dans OSCAR/Surface, l'outil d'analyse de la capacité des systèmes d'observation s'agissant des observations en surface, et notamment les stations qui i) constituent les Réseaux climatologiques de base régionaux (RBCN), ii) transmettent des messages CLIMAT mensuels, et iii) contribuent au recueil des *World Weather Records*. Veuillez noter qu'OSCAR/Surface remplace le Volume A – Stations d'observation de la publication OMM-N° 9 (voir <http://www.wmo.int/pages/prog/www/ois/volume-a/vola-home.htm>).

Aux: Représentants permanents (ou directeurs des Services météorologiques ou hydrométéorologiques) des Membres de l'OMM (distribution restreinte)

cc: Présidents des conseils régionaux
 Présidente et vice-présidente de la CCI
 Président et vice-présidente de la CSB
 Président du Comité directeur du SMOC
 Directrice des NCEI, Asheville, États-Unis d'Amérique

Les données doivent être calculées et communiquées soit via un fichier Excel soit au format texte, selon les directives de l'OMM pour le calcul des normales climatiques (annexe 2). Vous trouverez de plus amples informations ainsi que les modèles texte et Excel (annexes 4 et 5) à l'adresse http://www.wmo.int/pages/prog/wcp/wcdmp/GCDS_1.php.

Pour faciliter la publication des normales climatologiques standard pour la période 1981–2010, je vous saurais gré de communiquer vos données le plus rapidement possible, de préférence le **28 février 2019** au plus tard, au centre principal de la Commission des systèmes de base (CSB) pour le Système mondial d'observation du climat (SMOC), conformément aux directives jointes (annexe 3). Vous pouvez également envoyer vos données au Secrétariat de l'OMM (wcdmp@wmo.int).

Je saisis cette occasion pour souligner à quel point la collaboration des Membres est importante pour nous permettre de tirer les leçons de l'expérience acquise et d'ajuster nos procédures, de façon à obtenir un dispositif de recueil et de calcul adapté pour le recueil de la prochaine période des normales climatologiques standard (1991-2020), qui devrait avoir lieu au deuxième semestre de 2021.

Si vous souhaitez des précisions supplémentaires, n'hésitez pas à prendre contact, à l'OMM, avec la Division des applications de la gestion des données (MM. Omar Baddour et Peer Hechler, par courriel à l'adresse wcdmp@wmo.int).

Je remercie les Services météorologiques et hydrologiques nationaux des Membres pour leur participation enthousiaste renouvelée s'agissant de la communication des données climatologiques normalisées et fiables qui contribuent à faire de l'OMM la source officielle d'informations sur l'état du climat mondial.

Veuillez agréer, Madame, Monsieur, l'expression de ma considération distinguée.

(P. Taalas)
Secrétaire général

Informations générales

Note: Nous remercions MétéoSuisse, le Service météorologique national de la Suisse, d'avoir partagé la documentation qu'il a publié nationalement à l'occasion de la mise en place dans le pays, début 2013, des normales climatologiques standard de l'OMM pour la période 1981–2010.

Objet des normes climatologiques

On utilise les normales climatologiques à deux fins principales. Elles servent largement, implicitement ou explicitement, pour déterminer, y compris à court terme, les conditions moyennes auxquelles on peut s'attendre le plus dans un lieu donné. Elles servent également de référence par rapport à laquelle il est possible de comparer des conditions météorologiques ou climatiques récentes ou actuelles, ce qui permet en outre de disposer d'une base pour de nombreux jeux de données d'anomalies climatiques (par exemple, pour les températures moyennes mondiales, l'année xy a été z degrés plus chaude/froide...).

Nouvelle définition des normales climatologiques standard et introduction de la période de référence OMM

Par le passé, les normales climatologiques standard se référaient à des périodes de 30 ans qui ne se recoupent pas (1901–1930, 1931–1960 et 1961–1990). Le Dix-septième Congrès météorologique mondial (2015) a adopté la résolution 16 (Cg-17) – Rapport de la seizième session de la Commission de climatologie, pour actualiser la définition de normales climatologiques standard, comme suit: «Moyennes des données climatologiques calculées pour les périodes consécutives de 30 ans ci-après: 1^{er} janvier 1981 – 31 décembre 2010, 1^{er} janvier 1991 – 31 décembre 2020, etc.».

Le Congrès a également accepté d'instaurer une période de référence de l'OMM pour l'évaluation du changement climatique à long terme, comme suit: «Période consécutive de 30 ans allant du 1^{er} janvier 1961 au 31 décembre 1990».

Principal motif de l'actualisation de la définition des normales climatologiques standard

Il est largement reconnu que la méthode historique de calcul des normales climatologiques standard (normales sur 30 ans actualisées tous les 30 ans) donne une valeur de référence qui, dans le contexte du changement climatique, risque fort de ne pas être une bonne indication pour la majorité des applications climatologiques. Par exemple, utiliser en 2018 la normale climatologique standard 1961–1990 comme référence pour une application climatologique relative à la demande énergétique dans les années 2019–2022 mènera probablement à une conclusion inexacte. Les résultats seront vraisemblablement beaucoup plus fiables en prenant la normale climatologique standard 1981–2010 comme référence.

Toutefois, dans certains domaines de la climatologie, il est nécessaire de disposer d'une période de référence relativement stable, notamment pour l'évaluation de la variabilité du climat et la surveillance de son évolution sur le long terme. Ainsi, la période consécutive de 30 ans allant du 1^{er} janvier 1961 au 31 décembre 1990 sert de période de référence pour l'évaluation du changement climatique à long terme.

Conséquences de la modification de la définition des normales climatologiques standard

L'actualisation des normales climatologiques standard nécessite d'apporter des explications détaillées aux utilisateurs. On pourra notamment informer ces derniers des aspects et exemples suivants:

- Pourquoi l'actualisation est nécessaire: Pour permettre une meilleure représentation des conditions moyennes dans un lieu donné, notamment pour de nombreux services et applications sectoriels de climatologie opérationnelle.

- Qu'implique l'actualisation: Exemple: Un réchauffement sensible est constaté dans une région au cours des derniers 10 ou 20 ans. Selon le suivi climatologique opérationnel fondé sur la normale climatologique standard 1961–1990, la plupart de ces années sont considérées comme «plus chaudes que la normale». Si l'on se sert de la normale climatologique standard 1981–2010, où les températures sont probablement plus élevées que la normale 1961–1990, le nombre d'années qualifiées de «plus chaudes que la normale» sera moindre et il y aura davantage d'années «normales» ou «plus froides que la normale».
- Naturellement, l'exemple ci-dessus ne révèle pas nécessairement que le réchauffement au plan régional a ralenti, s'est arrêté ou s'est inversé. Cependant, cet exemple illustre le fait que des températures supérieures sont attendues et que la normale climatologique standard 1981–2010 en rend mieux compte que la normale 1961–1990.
- Une référence stable pour les évaluations du changement climatique: En ce qui concerne l'évaluation à long terme de la variabilité et de l'évolution du climat (à l'échelle de plusieurs décennies), il est recommandé d'utiliser la période de référence 1961–1990 (au plan international et de façon permanente, sauf raisons scientifiques impérieuses forçant à la modifier).
- Il est recommandé de publier la liste des produits (standard) des Services météorologiques et hydrologiques nationaux fondés sur les normales climatologiques standard actualisées, en précisant la date de transition de l'ancienne normale (par exemple, 1961–1990) à la normale actualisée (par exemple, 1981–2010). De plus, il est vivement recommandé de mentionner explicitement la normale climatologique standard utilisée sur tous les produits concernés.

Guidelines for the Submission of WMO Climatological Standard Normals:

Ref.: 09702/2019-1.0 LCP

Collection for 1981-2010

CONTENTS

1. BACKGROUND

- 1.1. World Meteorological Organization climate normals
- 1.2 Submission channels

2. METHODOLOGY FOR REPRESENTING THE CLIMATOLOGICAL STANDARD NORMALS FOR 1981-2010

- 2.1 Station header information
- 2.2 Statistical descriptors
- 2.3 Principal climatological surface parameters and units
- 2.4 Secondary and other climatological surface parameters and units

3. EXCEL SUBMISSION FOR EACH STATION RECORD

4. OPTIONAL ASCII SUBMISSION IN COMMA SEPARATED VALUES FORMAT (*.CSV)

5. PLANNING FOR 1991-2020 NORMALS

REFERENCES

ATTACHMENT I: RECOMMENDED COLLECTION MECHANISMS BY REGION

ATTACHMENT II: EXAMPLE EXCEL FILE (SINGLE STATION PER TAB)

ATTACHMENT III: EXAMPLE ASCII FILE IN *.CSV FORMAT (SINGLE STATION PER FILE)

1. BACKGROUND

This document provides technical instructions for submitting Climatological Standard Normals for the most recent 30-year period ending in "0", 1981-2010. Brief background material for this activity is provided below, followed by uniform collection instructions.

1.1 World Meteorological Organization Climate Normals

In 2015, the Seventeenth World Meteorological Congress (WMO, 2015) approved a change in formal practice to calculate Climatological Standard Normals every ten years, rather than in non-overlapping 30-year periods (Resolution 16 [Cg-17]). In 2017, WMO published *WMO Guidelines on the Calculation of Climate Normals* (WMO-No. 1203) that provides updated methodological instructions for these calculations (WMO, 2017). The combination of these progressive steps provides an opportunity to collect globally Climatological Standard Normals for the period 1981-2010. These normals will be gathered and housed for global access at the U.S. National Oceanic and Atmospheric Administration as done during the mid-1990s, when 1961-1990 Climatological Standard Normals were collected for the WMO and are still available at the World Data Center for Meteorology Asheville Web Site:

<https://www.ncdc.noaa.gov/wdcmnet/data-access-search-viewer-tools/global-climate-normals-1961-1990>

The current normals collection will not follow the format of the previous collection, but will be based on the WMO-No. 1203 *Guidelines and Definitions*. For the definitions of climate elements and parameters and methods for their calculations, readers should refer to WMO-No. 1203 and its underlying source documents. This document will merely describe the submission process and format.

1.2 Submission channels

WMO Members should make submissions to the responsible Commission for Basic Systems (CBS) lead center for the Global Climate Observing System (GCOS), or to the WMO Secretariat as appropriate (see Attachment I with regional collection methods). The submissions can also be made directly to the NOAA NCEI host of the collection at gcos.ncdc@noaa.gov. Each WMO Member choosing to participate in the 1981-2010 Climatological Standard Normals collection has an option to submit station files in Excel format or Comma Separated Values (*.csv ASCII text) format as attachments to electronic mail to the chosen electronic destination. Example files of each type can be seen in Attachment II and Attachment III.

2. METHODOLOGY FOR REPRESENTING THE CLIMATOLOGICAL STANDARD NORMALS FOR 1981-2010

2.1 Station header information

Each file submitted can contain Climatological Standard Normals for many different variables but should be limited to only one station per tab (Excel) or file (ASCII *.csv). The Excel file format is simple and compatible to most versions of Excel. Each tab or file header should contain the following information:

Station Header Record

Row 6: Country Name – Column B

Row 7: Station Name – Column B

Row 10: WMO Number – Column A formatted as 5 digit number
 Latitude – Column B formatted as deg|min|sec|N or S
 Longitude – Column C formatted as deg|min|sec|E or W
 Station_Height – Column D formatted in whole meters (using "-" below sea level)

Row 13: WIGOS Station ID (if available) – Column A formatted as 12 digits

The Excel file template provides sufficiently wide columns for all input types with standard Excel Calibri 12 point font. Labels are provided for each field and row spaces separate fields (Attachment II). The same approach can be used in constructing a *.csv file (Attachment III).

2.2 Statistical Descriptors

A parameter is a statistical descriptor of a climate element. Most observed elements are formed into means, sums, or counts for understanding the state of the element for a representative calendar month. WMO-No. 1203 describes the most fundamental parameter calculation methods, which are listed in Table 1a.

Table 1a. Calculation method names (abbreviated), codes, and parameter calculation method descriptions from WMO-No. 1203, *WMO Guidelines on the Calculation of Climate Normals*.

Calculation _Name	Calculation _Code	Parameter calculation method descriptions from WMO-No. 1203
Mean	1	Mean Parameter - mean of daily values during the month
Max	2	Extreme Parameter Maximum - highest value during month
Min	3	Extreme Parameter Minimum - lowest value during month
Sum	4	Sum Parameter - sum of daily values during month
Count	5	Count Parameter - Number of days (cf. section 2.3 below)
Q0	6	Quintile Parameter 0 - Lower bound of quintile 1 (Extreme Minimum)
Q1	7	Quintile Parameter 1 - Upper bound of quintile 1
Q2	8	Quintile Parameter 2 - Upper bound of quintile 2
Q3	9	Quintile Parameter 3 - Upper bound of quintile 3
Q4	10	Quintile Parameter 4 - Upper bound of quintile 4
Q5	11	Quintile Parameter 5 - Upper bound of quintile 5 (Extreme Maximum)

There are also some additional parameter calculation methods provided in Table 1b that are derived from the 1961-1990 Climatological Standard Normals collection effort. Some Members may still wish to use these statistics, especially the “Number of Years Used to Calculate Normal” statistic, NOY.

Table 1b. Additional parameter calculation methods from the 1961-1990 Climatological Standard Normals collection effort.

Calculation _Name	Calculation _Code	Parameter calculation method descriptions from 1961-1990 normals
Median	12	Median Monthly Value
SDMean	13	Standard Deviation of Mean Monthly Value
SDMeanD	14	Standard Deviation of Mean Daily Value
MaxDate	15	Date (Year/Day) of Occurrence of Extreme Maximum Daily Value
MinDate	16	Date (Year/Day) of Occurrence of Extreme Minimum Daily Value
MinMon	17	Minimum Monthly Value
DMinMon	18	Year of Occurrence of Minimum Monthly Value
MaxMon	19	Maximum Monthly Value
DMaxMon	20	Year of Occurrence of Maximum Monthly Value
NOY	98	Number of Years Used to Calculate Normal
Custom	99	Custom Parameter or Statistic Specified by Contributor

Ref.: 09702/2019-1.0 LCP

2.3 Principal climatological surface parameters and units

Climate parameters are defined as an aspect of climate that can be statistically described, such as mean air temperature, precipitation total, or mean sea level pressure. Subject to limitations on available data, there are eight principal climatological surface parameters (Table 2) that should always be reported in station climate normals submissions if possible. Due to their importance, the Excel submission template contains these fields. The suggested submission format includes the use of the parameter name in a header above a data table. In order to assure compatibility between Excel and ASCII *.csv submissions, parameter name words are linked by underscores with no spaces, and units of temperature are spelled out in basic ASCII characters (Deg_C). Finally, it should be noted that additional climatological surface parameters derived from the same element but a different calculation method (e.g., median precipitation total, extreme maximum daily maximum temperature, etc.), can be reported on additional spreadsheet rows in conjunction with each principal climatological surface parameter.

Table 2. Principal climatological surface parameters from WMO-No. 1203, *WMO Guidelines on the Calculation of Climate Normals*.

Parameter_Code	Parameter_Name	Units
1	Precipitation_Total	mm
2	Number_of_Days_with_Precipitation_≥_1 mm	count
3	Daily_Maximum_Temperature	Deg_C
4	Daily_Minimum_Temperature	Deg_C
5	Daily_Mean_Temperature	Deg_C
6	Mean_Sea_Level_Pressure	hPa
7	Mean_Vapor_Pressure	hPa
8	Total_Number_of_Hours_of_Sunshine	hours

Ref.: 09702/2019-1.0 LCP

While it is very important for Members submitting normals data to review all recommended calculation instructions in WMO-No. 1203, the treatment of “count” variables is especially noteworthy and so will be reviewed here. Normals for counts should be calculated as follows (cf. section 4.3 of WMO-No. 1203):

- (a) The count of values for each individual month should be calculated, and converted to a percentage of days with available observations. (For example, if there were 25 days with observations in February 1981 and there were 22 days with temperatures ≥ 30 °C, the value for February 1981 is calculated as 88%).
- (b) The average percentage count for each month with sufficient available data within the 1981-2010 period is calculated.
- (c) This average is then reconverted to an average number of days for the month by multiplying the average percentage by the number of days in the month. February percentages should be multiplied by 28.25.
- (d) The sum of the monthly normals as per above instructions constitute the annual normal.

The purpose for this procedure is to prevent the underestimation of count variables as a result of missing data within a month.

2.4 Secondary and other climatological surface parameters and units

Secondary climatological surface parameters (Table 3) are generally well recognized from standard CLIMAT messages and other common sources. Many are counts exceeding a threshold of temperature, precipitation, or wind. When parameter names with the term “threshold” are used, that word should be replaced with the numerical value representing the threshold being tested.

Table 3. Secondary climatological surface parameters from WMO-No. 1203, *WMO Guidelines on the Calculation of Climate Normals*.

Parameter_Code	Parameter_Name	Units
10	Mean_Station-Level_Pressure	hPa
11	Boundaries_of_quintiles_of_monthly_precipitation	mm
12	Number_of_Days_with_Maximum_Temperature_≥_threshold*_Deg_C	count
13	Number_of_Days_with_Minimum_Temperature_≤_threshold*_Deg_C	count
14	Number_of_Days_with_Maximum_Temperature_<_0_Deg_C	count
15	Number_of_Days_with_Minimum_Temperature_<_0_Deg_C	count
16	Number_of_Days_with_Daily_Precipitation_≥_threshold*_mm	count
17	Number_of_Days_with_Snow_Depth_>_threshold*_cm	count
18	Number_of_Days_with_Wind_Speed_≥_threshold*_m/s	count
19	Number_of_Days_with_Visibility_<_threshold*_m	count
20	Highest_Value_of_Mean_Daily_Temperature	Deg_C
21	Lowest_Value_of_Mean_Daily_Temperature	Deg_C
22	Highest_Value_of_Daily_Maximum_Temperature	Deg_C
23	Lowest_Value_of_Daily_Minimum_Temperature	Deg_C
24	Highest_Value_of_Daily_Precipitation	mm
25	Highest_Wind_Gust	m/s
26	Mean_Number_of_Days_with_Thunder	count
27	Mean_Number_of_Days_with_Hail	count
* For parameters with the word "threshold" specify a numerical value or qualifier, repeat as needed.		

Ref.: 09702/2019-1.0 LCP

In the "other" category, climatological surface parameters mentioned in the WMO-No. 1203 outside the principal and secondary lists are included in Table 4a. Element-statistics combinations used to define parameters in some 1961-1990 normals submissions but not directly referenced in WMO-No. 1203 are listed in Table 4b, often with the option of adopting user-selected thresholds for count statistics. Note that in Table 4b, the option for parameter code 99 is available if a Member wishes to submit a climatological surface parameter that is not described in the lists available.

Table 4a. Other climatological surface parameters from WMO-No. 1203, *WMO Guidelines on the Calculation of Climate Normals*.

Parameter_Code	Parameter_Name	Units
30	Cloud_Amount	okta
31	Global_Solar_Radiation	MJ/m2
32	Direct_Solar_Radiation	MJ/m2
33	Diffuse_Solar_Radiation	MJ/m2
34	Wind_Speed	m/sec
35	Wind_Direction	degrees
36	Soil_Temperature	Deg_C
37	Snowfall	cm
38	Relative_Humidity	%
39	Dewpoint_Temperature	Deg_C

Table 4b. Other climatological surface parameters utilized in the 1961-1990 normals collection effort. Some provide variations on a theme, others are somewhat unique to a given country.

Parameter_Code	Parameter_Name	Units
40	Rainfall	mm
41	Bright_Sunshine	hours
42	Calm_Winds	hours
43	Number_of_Days_with_Sandstorm/Thick Dust/Haze	count
44	Number_of_Days_with_Measurable_Bright_Sunshine	count
45	Number_of_Days_with_Lightning	count
46	Number_of_Days_with_Rain_Showers	count
47	Number_of_Days_with_Snowfall	count
48	Number_of_Days_with_Fog/Ice_Fog	count
49	Number_of_Days_with_Fog_Sky_Obscured	count
50	Number_of_Days_with_Fog_Sky_Unobscured	count
51	Number_of_Days_with_Haze/Smoke	count
52	Number_of_Days_with_Dust	count
53	Number_of_Days_with_Blowing_Dust/Sand	count
54	Number_of_Days_with_Visibility_≤_Threshold*_km	count
55	Number_of_Days_with_No_Sunshine	count
56	Number_of_Days_with_Dew	count
57	Number_of_Days_with_Rime/Glaze_Ice	count
58	Number_of_Days_with_Air_Frost	count
59	Number_of_Days_with_Grass_Frost	count
60	Number_of_Days_with_Gale_Force_Winds	count

Parameter_Code	Parameter_Name	Units
61	Number_of_Days_Maximum_Temperature_≤_threshold*_Deg_C	count
62	Number_of_Days_Minimum_Temperature_≥_threshold*_Deg_C	count
63	Number_of_Days_with_Dust/Haze/Mist	count
64	Number_of_Days_Maximum_Temperature_>_threshold*_Deg_C	count
65	Number_of_Days_Maximum_Temperature_<_threshold*_Deg_C	count
66	Number_of_Days_Minimum_Temperature_>_threshold*_Deg_C	count
67	Number_of_Days_Minimum_Temperature_<_threshold*_Deg_C	count
68	Number_of_Days_with_Snowfall_≥_threshold*_cm	count
69	Number_of_Days_with_Freezing_Rain/Drizzle	count
70	Number_of_Days_with_Blowing_Snow	count
71	Number_of_Days_with_Rain/Drizzle	count
72	Number_of_Days_with_Snow/Hail	count
73	Number_of_Days_with_Fog/Mist	count
74	Number_of_Days_with_Ice_Storm	count
75	Number_of_Days_with_Thick_Haze	count
76	Number_of_Days_with_Rising_Sand	count
77	Number_of_Days_with_Mist	count
78	Number_of_Days_with_Squalls	count
79	Number_of_Days_with_Duststorm/Sandstorm	count
80	Number_of_Days_with_Sleet/Snow	count
81	Number_of_Days_with_Fog	count
82	Number_of_Days_with_Daily_Max_Wind_Speed_≥_threshold*_m/s	count
99	Custom_Element_Specified_by_Contributor	custom

* For parameters with the word "threshold" specify a numerical value or qualifier, repeat as needed.

3. EXCEL SUBMISSION FOR EACH STATION RECORD

The Excel approach for the collection of Climatological Standard Normals is designed to be very simple to use and is compatible to most versions of Excel (Attachment II). Excel is the preferred solution for submitting Climatological Standard Normals at this time. Each climatological surface parameter is available in the Parameter tab of the Template workbook. The Template has the headers pre-defined for the principal climatological surface parameters, but for secondary and other parameters, the three fields in the Parameter tab (Parameter_Code, Parameter_Name, and Units) can be copied and pasted into blank header sections to be included in the submission. When including data in the section below the header, the station's WMO_Number and the Parameter_Code are the first two items in a data row, followed by the Calculation_Name and Calculation_Code for the parameter that can be copied and pasted from the Calculation Method tab. The monthly and annual (if available) data values then populate the remainder of the row. An Example tab shows a station submission with multiple parameters already entered.

As shown in Attachment II, each parameter included in a submission has an individual header and data table.

Header:

Column A: Parameter_Code

Column B: Parameter_Name

Column C: Units

Data:

Column A: WMO_Number

Column B: Parameter_Code

Column C: Calculation_Name

Column D: Calculation_Code

Columns E-P: January-December Normals Data

Column Q: Annual Normals Data

4. OPTIONAL ASCII SUBMISSION IN COMMA SEPARATED VALUES FORMAT (*.CSV)

In the previous normals collection in the 1990s, ASCII submissions were allowed in a variety of formats using a number of delimiter (blanks, multiple blanks, tabs, etc.). The current collection will reduce these possibilities to one, the use of Comma Separated Values format (*.csv). One of the key attributes of this approach is that vertical alignment of data columns will not be required (as is needed in space and tab delimited files) as long as commas are separating both existing and missing values. Files constructed like the Attachment III example will easily import into Excel, so that the final formatted version made available for all Climatological Standard Normals will all be uniform. The same relative positional formatting will be followed as in the Excel case, except the values will be in an ASCII text file with comma separate values.

5. PLANNING FOR 1991-2020 NORMALS

The collection of the 1981-2010 Climatological Standard Normals from WMO Members will serve as a lasting reference for climate information consumers globally. It will also serve as a test case for collecting the next 30-year Climatological Standard Normals for 1991-2020 in 2021. Lessons learned in the 1981-2010 collection will be applied to the upcoming case to improve the completeness and ease with which the data are collected.

This document, the Excel template with example, the ASCII *.cvs with example, and a copy of WMO-No. 1203 are located at: <ftp://ftp.ncdc.noaa.gov/pub/data/normals/WMO2010/>.

REFERENCES

World Meteorological Organization, 1996: Climatological Normals (CLINO) for the Period 1961-1990 (WMO-No. 847). Geneva

World Meteorological Organization, 2015: *Seventeenth World Meteorological Congress* (WMO-No. 1157). Geneva.

World Meteorological Organization, 2017: *WMO Guidelines on the Calculation of Climate Normals* (WMO-No. 1203). Geneva.

ATTACHMENT I: RECOMMENDED COLLECTION MECHANISMS BY REGION

Note: Members may choose to submit their 1981-2010 Climatological Standard Normals through any of the below mentioned CBS lead centers for GCOS. Members can also send their submissions directly to the U.S. NOAA National Centers for Environmental Information (NCEI) at gcos.ncdc@noaa.gov.

Ref.: 09702/2019-1.0 LCP

<i>Region</i>	<i>Member States/ Territories</i>	<i>Collection mechanism</i>	<i>Alternative</i>
RA I	All Members of RA I	CBS Lead Centre for GCOS Africa, Morocco (DMN*); cbs.lead.centre.4gcos@gmail.com	WMO, Geneva; wcdmp@wmo.int
RA II	All Members of RA II	CBS Lead Centre for GCOS Asia, Japan (JMA*); climatemonitor@met.kishou.go.jp	WMO, Geneva; wcdmp@wmo.int
RA III	All Members of RA III	CBS Lead Centre for GCOS South America, Chile (DMC*); gtorres@meteochile.cl	WMO, Geneva; wcdmp@wmo.int
RA IV	All countries of RA IV	CBS Lead Centre for GCOS North and Central America and the Caribbean, United States (NCEI*); gcos.ncdc@noaa.gov	WMO, Geneva; wcdmp@wmo.int
RA V	All Members of RA V	CBS Lead Centre for GCOS South West Pacific, Australia, (BOM*); GCOS_Lead_Centre_RAV@bom.gov.au	WMO, Geneva; wcdmp@wmo.int
RA VI	All Members of RA VI	CBS Lead Centre for GCOS Europe, Germany (DWD*); christiana.lefebvre@dwd.de	WMO, Geneva; wcdmp@wmo.int

* BOM: Bureau of Meteorology; DMC: [Dirección Meteorológica de Chile](#); DMN: [Direction de la météorologie nationale du Maroc](#); DWD: Deutscher Wetterdienst; JMA: Japan Meteorological Agency; NCEI: National Centers for Environmental Information.

ATTACHMENT II: EXAMPLE EXCEL FILE (SINGLE STATION PER TAB)

This example table shows a subset of the Excel Climatological Standard Normals spreadsheet for a station. The complete header is included, followed by headers and data fields for four of the eight principal element parameter combinations. The table subset ends on the right to the column for March, but in the template there are columns not shown to the right completing the twelve months and also providing a column for an annual value. Note the use of vertical bar characters to separate the latitude and longitude degrees, minutes, seconds, and direction so they will stay together if exported from the Excel file.

World Meteorological Organization Climate Normals for 1981-2010							
Single Station Data Sheet For All Climatological Surface Parameters							
Station Header Record							
Country_Name	UNITED_STATES_OF_AMERICA						
Station_Name	FAIRBANKS_INTL						
WMO_Number	Latitude	Longitude	Station_Height				
70261	64 49 00 N	147 52 00 W	133				
WMO Integrated Global Observing System (WIGOS) Station Identifier (if available)							
0-20000-0-70261							
Principal Climatological Surface Parameters							
Parameter_Code	Parameter_Name	Units					
1	Precipitation_Total	mm					
WMO_Number	Parameter_Code	Calculation_Name	Calculation_Code	January	February	March	
70261	1	Sum	4	11.9	10.2	9.4	
70261	1	NOY	98	30.0	30.0	30.0	
Parameter_Code	Parameter_Name	Units					
2	Number_of_Days_with_Precipitation_>=1_mm	count					
WMO_Number	Parameter_Code	Calculation_Name	Calculation_Code	January	February	March	
70261	2	Count	5	3.8	2.8	3.0	
70261	2	NOY	98	30.0	30.0	30.0	
Parameter_Code	Parameter_Name	Units					
3	Daily_Maximum_Temperature	Deg_C					
WMO_Number	Parameter_Code	Calculation_Name	Calculation_Code	January	February	March	
70261	3	Mean	1	-18.7	-13.8	-4.6	
70261	3	NOY	98	30.0	30.0	30.0	
Parameter_Code	Parameter_Name	Units					
4	Daily_Minimum_Temperature	Deg_C					
WMO_Number	Parameter_Code	Calculation_Name	Calculation_Code	January	February	March	
70261	4	Mean	1	-28.1	-25.8	-18.7	
70261	4	NOY	98	30.0	30.0	30.0	

**ATTACHMENT III: EXAMPLE ASCII FILE IN *.CSV FORMAT
(SINGLE STATION PER FILE)**

This example table shows a subset of an ASCII *.csv format Climatological Standard Normals file for a station. The complete header is included, followed by headers and data fields for four of the eight principal climatological surface parameters. The table subset shows entire parameter records for all months and the annual value, but the month labels end on the right at March due to space limitations here; in the example file there are month labels to the right completing the twelve months and also providing a column for an annual value. Note the use of vertical bar characters to separate the latitude and longitude degrees, minutes, seconds, and direction so they will stay together if imported into an Excel spreadsheet.

World Meteorological Organization Climate Normals for 1981-2010
Single Station Data Sheet For All Climatological Surface Parameters

Station Header Record

Country_Name,UNITED_STATES_OF_AMERICA
Station_Name,FAIRBANKS_INTL

WMO_Number,Latitude,Longitude,Station_Height
70261,64|49|00|N,147|52|00|W,133

WMO Integrated Global Observing System (WIGOS) Station Identifier (if available)
0-20000-0-70261

Principal Climatological Surface Parameters

Parameter_Code,Parameter_Name,Units
1,Precipitation_Total,mm

WMO_Number,Parameter_Code,Calculation_Name,Calculation_Code,January,February,March,
70261,1,Sum,4,11.9,10.2,9.4,8.1,15.5,34.8,47.5,49.8,24.1,22.9,20.3,21.6,276.1
70261,1,NOY,98,30,30,30,30,30,30,30,30,30,30,30,30,30

Parameter_Code,Parameter_Name,Units
2,Number_of_Days_with_Precipitation_>=1_mm,count

WMO_Number,Parameter_Code,Calculation_Name,Calculation_Code,January,February,March,
70261,2,Count,5,3.8,2.8,3.0,2.7,3.8,7.1,8.7,8.5,2.6,6.6,6.0,5.7,61.3
70261,2,NOY,98,30,30,30,30,30,30,30,30,30,30,30,30,30

Parameter_Code,Parameter_Name,Units
3,Daily_Maximum_Temperature,Deg_C

WMO_Number,Parameter_Code,Calculation_Name,Calculation_Code,January,February,March,
70261,3,Mean,1,-18.7,-13.8,-4.6,5,15.2,21.2,22.4,19.1,12.7,0,-11.7,-16.8,2.5
70261,3,NOY,98,30,30,30,30,30,30,30,30,30,30,30,30,30

Parameter_Code,Parameter_Name,Units
4,Daily_Minimum_Temperature,Deg_C

WMO_Number,Parameter_Code,Calculation_Name,Calculation_Code,January,February,March,
70261,4,Mean,1,-28.1,-25.8,-18.7,-6.4,3.3,9.7,11.4,8.4,2.3,-7.7,-20.9,-26,-8.2
70261,4,NOY,98,30,30,30,30,30,30,30,30,30,30,30,30,30