



WMO OMM

World Meteorological Organization
 Organisation météorologique mondiale
 Organización Meteorológica Mundial
 Всемирная метеорологическая организация
 المنظمة العالمية للأرصاد الجوية
 世界气象组织

Secrétariat
 7 bis, avenue de la Paix – Case postale 2300
 CH 1211 Genève 2 – Suisse
 Tél.: +41 (0) 22 730 81 11
 Fax: +41 (0) 22 730 81 81
 wmo@wmo.int – public.wmo.int

Наш исх.: 08791/2019/CLW/CLPA/DMA/CLINO8110

1 апреля 2019 г.

Приложение: 1

Вопрос: Напоминание: сбор климатологических стандартных норм ВМО за 1981—2010 гг.

Предлагаемые меры: Представление данных в ближайшее удобное время, **но не позднее 31 мая 2019 г.**

Уважаемый господин/Уважаемая госпожа!

Хотела бы сослаться на письмо ВМО, исх. № 20077/2018/CLW/DMA/CLINO8110 от 1 августа 2018 г. (приложение), в котором содержится запрос о представлении климатологических стандартных норм ВМО за 1981—2010 гг. до 28 февраля 2019 г. По состоянию на 1 марта зарегистрировано 34 комплекта представленных данных менее чем от 20 % всех Членов ВМО:

- 1 комплект представленных данных от РА I;
- 10 комплектов представленных данных от РА II;
- 5 комплектов представленных данных от РА III;
- 1 комплект представленных данных от РА IV;
- 2 комплекта представленных данных от РА V;
- 15 комплектов представленных данных от РА VI.

Хотела бы напомнить, что собираемые климатологические стандартные нормы являются обязательной публикацией ВМО. Если Вы до сих пор не сделали этого, то Вам любезно предлагается принять активное участие в этой стандартной процедуре ВМО путем представления ваших климатологических стандартных норм в соответствии с прилагаемым письмом с приложениями в ближайшее удобное для Вас время, но не позднее **31 мая 2019 г.**

С уважением,

(Е. Манаенкова)
 за Генерального секретаря

Постоянным представителям (или директорам метеорологических или гидрометеорологических служб) Членов ВМО

Копия: Президентам региональных ассоциаций
 Президенту и вице-президенту ККл
 Президенту и вице-президенту КОС
 Председателю РК-ГСНК
 Директору Национальных центров информации об окружающей среде (НЦИОС), Эшвилл



World Meteorological Organization
Organisation météorologique mondiale
Organización Meteorológica Mundial
Всемирная метеорологическая организация
المنظمة العالمية للأرصاد الجوية
世界气象组织

Secrétariat

7 bis, avenue de la Paix – Case postale 2300
CH 1211 Genève 2 – Suisse
Tél.: +41 (0) 22 730 81 11
Fax: +41 (0) 22 730 81 81
wmo@wmo.int – public.wmo.int

Наш исх.: 20077/2018/CLW/CLPA/DMA/CLINO8110

1 августа 2018 г.

Приложения: 5 (приложения 3, 4 и 5 имеются только на английском языке)

Вопрос: Сбор климатологических стандартных норм ВМО за 1981—2010 гг.

Предлагаемые меры: Представление данных как можно скорее, но **не позднее 28 февраля 2019 г.**

Уважаемый господин/Уважаемая госпожа!

Хотел бы обратить Ваше внимание на меры, принятые в отношении сбора климатологических стандартных норм ВМО. Как Вы помните, Семнадцатый Всемирный метеорологический конгресс (Кг-17) в 2015 г. в резолюции 16 (Кг-17) «Отчет шестнадцатой сессии Комиссии по климатологии» постановил усовершенствовать определение климатологической стандартной нормы на основе руководящих указаний, полученных от Комиссии по климатологии ВМО. Климатологическая стандартная норма теперь используется для обозначения последнего 30-летнего периода, который завершается годом, кончающимся цифрой 0 (1981—2010, 1991—2020 и т. д.), и заменяет предыдущее определение, в котором использовались непересекающиеся 30-летние периоды (1931—1960, 1961—1990 и т. д.). Согласно новому определению, последний 30-летний период (1981—2010 гг.) будет использоваться для установления нового действующего стандарта. В приложении 1 представлена соответствующая справочная информация и излагаются причины и последствия изменения определения климатологических стандартных норм.

В этой связи Секретариату ВМО в сотрудничестве с Членами следует содействовать необходимому обновлению публикации «Climatological Standard Normals» (Климатологические стандартные нормы), которая представляет собой обязательную публикацию ВМО (КЛИНО) (ВМО-№ 847), на основе нового определения.

Для этого Мировой центр данных по метеорологии, который размещается в Национальных центрах информации об окружающей среде (НЦИОС) Национального управления по исследованию океанов и атмосферы (НУОА) Соединенных Штатов Америки, любезно согласился продолжить, как и в прошлом, осуществлять централизованный сбор и публикацию климатологических стандартных норм на глобальном уровне от имени ВМО. Публикация новых климатологических стандартных норм предоставит обновленный глобальный долгосрочный набор сопоставимых и доступных стандартов.

Постоянным представителям (или директорам метеорологических или гидрометеорологических служб) Членов ВМО

Копия: Президентам региональных ассоциаций
Президенту и вице-президенту ККЛ
Президенту и вице-президенту КОС
Председателю РК-ГСНК
Директору Национальных центров информации об окружающей среде (НЦИОС), Эшвилл

Настоящим предлагаю Вам представить климатологические стандартные нормы за 1981—2010 гг. по максимально возможному количеству станций в вашей стране, включая станции, зарегистрированные в Инструменте анализа и обзора возможностей систем наземных наблюдений (ОСКАР/Поверхность), и в частности по станциям, которые i) формируют региональные опорные климатологические сети (РОКС), ii) передают ежемесячные сообщения CLIMAT, а также iii) вносят вклад в сборник мировых данных о погоде. (Примечание: ОСКАР/Поверхность заменяет публикацию «Метеорологические сообщения» (ВМО-№ 9), том А «Станции наблюдений», которая также доступна по ссылке: <http://www.wmo.int/pages/prog/www/ois/volume-a/vola-home.htm>).

Выражается просьба о том, чтобы данные были рассчитаны и предоставлены либо в формате Microsoft Excel, либо в текстовом формате, следуя Руководящим указаниям ВМО по расчету климатических норм ([приложение 2](#)). Дополнительная информация, включая шаблоны в формате Excel и в текстовом формате (приложения 4 и 5), доступна по ссылке: http://www.wmo.int/pages/prog/wcp/wcdmp/GCDS_1.php.

В целях содействия публикации климатологических стандартных норм ВМО за период 1981—2010 гг. был бы признателен, если бы Вы могли направить свой вклад как можно скорее, но предпочтительно не позднее **28 февраля 2019 г.**, в соответствующий ведущий центр Комиссии по основным системам (КОС) для Глобальной системы наблюдений за климатом (ГСНК) в соответствии с прилагаемыми руководящими указаниями (приложение 3). В качестве альтернативы данные могут быть направлены в Секретариат ВМО (wcdmp@wmo.int).

Также пользуюсь данной возможностью, чтобы подчеркнуть важность взаимодействия Членов по вопросу использования коллекции действующих климатологических стандартных норм, с тем чтобы также оказать помощь, используя извлеченные уроки и корректировку процедур, в обеспечении доработанного механизма вычислений и сбора для следующего набора климатологических стандартных норм ВМО (1991—2020 гг.), подготовка которого предварительно планируется на вторую половину 2021 г.

Если Вам потребуются дополнительные разъяснения, просьба связаться с Отделом прикладных аспектов управления данными ВМО (г-н Омар Баддур и г-н Пер Хехлер: wcdmp@wmo.int).

Пользуясь этой возможностью, хочу поблагодарить национальные метеорологические и гидрологические службы Членов за их непрерывное и активное участие в представлении стандартных и заслуживающих доверия климатических данных, которые подкрепляют роль ВМО в качестве авторитетного источника информации о состоянии климата в глобальном масштабе.

С уважением,

(П. Таалас)
Генеральный секретарь

Справочная информация

Примечание: выражаем признательность МетеоСвисс, национальной метеорологической службе Швейцарии, за возможность совместного использования документации, опубликованной ею на национальном уровне по случаю введения в стране в начале 2013 г. климатологических стандартных норм за период 1981—2010 гг.

Назначение климатологических норм

Климатологические нормы используются для двух главных целей. Они широко применяются, прямо или косвенно, в качестве характеристики, в том числе в краткосрочной перспективе, типичных погодных условий, которые могут ожидать с наибольшей вероятностью в заданном районе. Они также служат контрольной точкой, с которой могут сравниваться недавно наблюдавшиеся или текущие погодные или климатические условия, в том числе в качестве основы для формирования многочисленных комплектов климатических данных, основанных на аномалиях, таких как средние значения глобальной температуры (... в ху году было на z градусов теплее/холоднее...).

Новое определение климатологической стандартной нормы и введение базового периода ВМО

В прошлом климатологические стандартные нормы охватывали непересекающиеся 30-летние периоды (1901—1930 гг., 1931—1960 гг. и 1961—1990 гг.). В 2015 г. на Семнадцатом Всемирном метеорологическом конгрессе была принята резолюция 16 (Кг-17) «Отчет шестнадцатой сессии Комиссии по климатологии», которой было одобрено следующее обновленное определение климатологической стандартной нормы: «средние климатологические данные, рассчитанные за следующие последовательные 30-летние периоды: с 1 января 1981 г. по 31 декабря 2010 г., с 1 января 1991 г. по 31 декабря 2020 г. и т. д.».

Конгресс также согласился ввести базовый период ВМО для долгосрочной оценки изменения климата: «последовательный 30-летний период с 1 января 1961 г. по 31 декабря 1990 г.».

Основная причина обновления определения климатологической стандартной нормы

На сегодняшний день широко признается тот факт, что исторический метод расчета климатологических стандартных норм (30-летняя норма обновляется каждые 30 лет) ведет к установлению эталонного стандарта, который в условиях меняющегося климата вряд ли способен служить должным ориентиром для большинства климатических применений. Например, использование климатологической стандартной нормы 1961—1990 гг. в качестве базового периода в 2018 г. для климатического применения, связанного с потребностью в энергоресурсах, в 2019—2022 гг., скорее всего, приведет к неточным выводам. Аналогичное применение, вероятнее, даст значительно более точные результаты при использовании в качестве базового периода климатологической стандартной нормы за период 1981—2010 гг.

Однако в климатологии существует ряд областей, для которых требуется относительно стабильный базовый период, в частности это касается долгосрочной оценки изменчивости климата и мониторинга изменения климата. В связи с этим в качестве базового периода для долгосрочной оценки изменения климата по-прежнему используется последовательный 30-летний период с 1 января 1961 г. по 31 декабря 1990 г.

Последствия изменения определения климатологических стандартных норм

Пользователям необходимо специально разъяснять вопрос обновления климатологических стандартных норм; соответствующие коммуникационные материалы могут включать следующие аспекты и примеры:

- потребность в обновлении: чтобы обеспечить более объективное представление типичных условий в заданном районе, в частности для множества отраслевых оперативных климатических применений и видов обслуживания;
- последствия обновления — пример: в регионе наблюдается отчетливое потепление в течение последних одного-двух десятилетий. По результатам оперативного мониторинга климата с опорой на климатологические стандартные нормы за период 1961—1990 гг. установлено, что большинство предыдущих лет характеризовали «температуры выше нормы». В результате перехода к климатологической стандартной норме 1981—2010 гг., уровень которой, вероятнее всего, выше уровня климатологической стандартной нормы 1961—1990 гг., количество лет «теплее нормы» может оказаться меньше, при этом может отмечаться большее количество «обычных» лет, либо лет «холоднее нормы»;
- очевидно, что приведенный выше пример необязательно указывает на то, что тенденция к потеплению в данном регионе замедлилась, прекратилась, либо что процесс потепления обратился вспять. Однако этот пример показывает, что ожидается наступление условий теплее нормы, что лучше отражает использование климатологической стандартной нормы 1981—2010 гг. в сравнении с нормой 1961—1990 гг.;
- стабильный базовый период для оценок изменения климата: для оценки долгосрочной изменчивости и изменения климата (десятилетняя временная шкала) рекомендуется использовать вновь определенный базовый период ВМО 1961—1990 гг. (который будет использоваться на международном уровне бессрочно, если только убедительные научные основания не создадут потребность в его модификации);
- рекомендуется опубликовать перечень (стандартных) видов продукции национальных метеорологических и гидрологических служб, в которых используются обновленные климатологические стандартные нормы, включая дату перехода с предыдущей нормы (например, 1961—1990 гг.) к обновленной (например, 1981—2010 гг.). Кроме того, настоятельно рекомендуется четкое упоминание климатологической стандартной нормы при использовании всех соответствующих видов продукции.

20087/2018/CLW/CLPA/DMA/CLINO8110, ПРИЛОЖЕНИЕ 3

Guidelines for the Submission of WMO Climatological Standard Normals:

Collection for 1981-2010

CONTENTS

1. BACKGROUND

- 1.1. World Meteorological Organization climate normals
- 1.2 Submission channels

2. METHODOLOGY FOR REPRESENTING THE CLIMATOLOGICAL STANDARD NORMALS FOR 1981-2010

- 2.1 Station header information
- 2.2 Statistical descriptors
- 2.3 Principal climatological surface parameters and units
- 2.4 Secondary and other climatological surface parameters and units

3. EXCEL SUBMISSION FOR EACH STATION RECORD

4. OPTIONAL ASCII SUBMISSION IN COMMA SEPARATED VALUES FORMAT (*.CSV)

5. PLANNING FOR 1991-2020 NORMALS

REFERENCES

ATTACHMENT I: RECOMMENDED COLLECTION MECHANISMS BY REGION

ATTACHMENT II: EXAMPLE EXCEL FILE (SINGLE STATION PER TAB)

ATTACHMENT III: EXAMPLE ASCII FILE IN *.CSV FORMAT (SINGLE STATION PER FILE)

1. BACKGROUND

This document provides technical instructions for submitting Climatological Standard Normals for the most recent 30-year period ending in "0", 1981-2010. Brief background material for this activity is provided below, followed by uniform collection instructions.

1.1 World Meteorological Organization Climate Normals

In 2015, the Seventeenth World Meteorological Congress (WMO, 2015) approved a change in formal practice to calculate Climatological Standard Normals every ten years, rather than in non-overlapping 30-year periods (Resolution 16 [Cg-17]). In 2017, WMO published *WMO Guidelines on the Calculation of Climate Normals* (WMO-No. 1203) that provides updated methodological instructions for these calculations (WMO, 2017). The combination of these progressive steps provides an opportunity to collect globally Climatological Standard Normals for the period 1981-2010. These normals will be gathered and housed for global access at the U.S. National Oceanic and Atmospheric Administration as done during the mid-1990s, when 1961-1990 Climatological Standard Normals were collected for the WMO and are still available at the World Data Center for Meteorology Asheville Web Site:

<https://www.ncdc.noaa.gov/wdcmnet/data-access-search-viewer-tools/global-climate-normals-1961-1990>

The current normals collection will not follow the format of the previous collection, but will be based on the WMO-No. 1203 *Guidelines and Definitions*. For the definitions of climate elements and parameters and methods for their calculations, readers should refer to WMO-No. 1203 and its underlying source documents. This document will merely describe the submission process and format.

1.2 Submission channels

WMO Members should make submissions to the responsible Commission for Basic Systems (CBS) lead center for the Global Climate Observing System (GCOS), or to the WMO Secretariat as appropriate (see Attachment I with regional collection methods). The submissions can also be made directly to the NOAA NCEI host of the collection at gcos.ncdc@noaa.gov. Each WMO Member choosing to participate in the 1981-2010 Climatological Standard Normals collection has an option to submit station files in Excel format or Comma Separated Values (*.csv ASCII text) format as attachments to electronic mail to the chosen electronic destination. Example files of each type can be seen in Attachment II and Attachment III.

2. METHODOLOGY FOR REPRESENTING THE CLIMATOLOGICAL STANDARD NORMALS FOR 1981-2010

2.1 Station header information

Each file submitted can contain Climatological Standard Normals for many different variables but should be limited to only one station per tab (Excel) or file (ASCII *.csv). The Excel file format is simple and compatible to most versions of Excel. Each tab or file header should contain the following information:

Station Header Record

Row 6: Country Name – Column B

Row 7: Station Name – Column B

Row 10: WMO Number – Column A formatted as 5 digit number

Latitude – Column B formatted as deg|min|sec|N or S

Longitude – Column C formatted as deg|min|sec|E or W

Station_Height – Column D formatted in whole meters (using "-" below sea level)

Row 13: WIGOS Station ID (if available) – Column A formatted as 12 digits

The Excel file template provides sufficiently wide columns for all input types with standard Excel Calibri 12 point font. Labels are provided for each field and row spaces separate fields (Attachment II). The same approach can be used in constructing a *.csv file (Attachment III).

2.2 Statistical Descriptors

A parameter is a statistical descriptor of a climate element. Most observed elements are formed into means, sums, or counts for understanding the state of the element for a representative calendar month. WMO-No. 1203 describes the most fundamental parameter calculation methods, which are listed in Table 1a.

Table 1a. Calculation method names (abbreviated), codes, and parameter calculation method descriptions from WMO-No. 1203, *WMO Guidelines on the Calculation of Climate Normals*.

Calculation _Name	Calculation _Code	Parameter calculation method descriptions from WMO-No. 1203
Mean	1	Mean Parameter - mean of daily values during the month
Max	2	Extreme Parameter Maximum - highest value during month
Min	3	Extreme Parameter Minimum - lowest value during month
Sum	4	Sum Parameter - sum of daily values during month
Count	5	Count Parameter - Number of days (cf. section 2.3 below)
Q0	6	Quintile Parameter 0 - Lower bound of quintile 1 (Extreme Minimum)
Q1	7	Quintile Parameter 1 - Upper bound of quintile 1
Q2	8	Quintile Parameter 2 - Upper bound of quintile 2
Q3	9	Quintile Parameter 3 - Upper bound of quintile 3
Q4	10	Quintile Parameter 4 - Upper bound of quintile 4
Q5	11	Quintile Parameter 5 - Upper bound of quintile 5 (Extreme Maximum)

There are also some additional parameter calculation methods provided in Table 1b that are derived from the 1961-1990 Climatological Standard Normals collection effort. Some Members may still wish to use these statistics, especially the “Number of Years Used to Calculate Normal” statistic, NOY.

Table 1b. Additional parameter calculation methods from the 1961-1990 Climatological Standard Normals collection effort.

Calculation _Name	Calculation _Code	Parameter calculation method descriptions from 1961-1990 normals
Median	12	Median Monthly Value
SDMean	13	Standard Deviation of Mean Monthly Value
SDMeanD	14	Standard Deviation of Mean Daily Value
MaxDate	15	Date (Year/Day) of Occurrence of Extreme Maximum Daily Value
MinDate	16	Date (Year/Day) of Occurrence of Extreme Minimum Daily Value
MinMon	17	Minimum Monthly Value
DMinMon	18	Year of Occurrence of Minimum Monthly Value

MaxMon	19	Maximum Monthly Value
DMaxMon	20	Year of Occurrence of Maximum Monthly Value
NOY	98	Number of Years Used to Calculate Normal
Custom	99	Custom Parameter or Statistic Specified by Contributor

Ref.: 09831/2019-1.0 LCP

2.3 Principal climatological surface parameters and units

Climate parameters are defined as an aspect of climate that can be statistically described, such as mean air temperature, precipitation total, or mean sea level pressure. Subject to limitations on available data, there are eight principal climatological surface parameters (Table 2) that should always be reported in station climate normals submissions if possible. Due to their importance, the Excel submission template contains these fields. The suggested submission format includes the use of the parameter name in a header above a data table. In order to assure compatibility between Excel and ASCII *.csv submissions, parameter name words are linked by underscores with no spaces, and units of temperature are spelled out in basic ASCII characters (Deg_C). Finally, it should be noted that additional climatological surface parameters derived from the same element but a different calculation method (e.g., median precipitation total, extreme maximum daily maximum temperature, etc.), can be reported on additional spreadsheet rows in conjunction with each principal climatological surface parameter.

Table 2. Principal climatological surface parameters from WMO-No. 1203, *WMO Guidelines on the Calculation of Climate Normals*.

Parameter_Code	Parameter_Name	Units
1	Precipitation_Total	mm
2	Number_of_Days_with_Precipitation_≥_1 mm	count
3	Daily_Maximum_Temperature	Deg_C
4	Daily_Minimum_Temperature	Deg_C
5	Daily_Mean_Temperature	Deg_C
6	Mean_Sea_Level_Pressure	hPa
7	Mean_Vapor_Pressure	hPa
8	Total_Number_of_Hours_of_Sunshine	hours

While it is very important for Members submitting normals data to review all recommended calculation instructions in WMO-No. 1203, the treatment of “count” variables is especially noteworthy and so will be reviewed here. Normals for counts should be calculated as follows (cf. section 4.3 of WMO-No. 1203):

- The count of values for each individual month should be calculated, and converted to a percentage of days with available observations. (For example, if there were 25 days with observations in February 1981 and there were 22 days with temperatures $\geq 30^{\circ}\text{C}$, the value for February 1981 is calculated as 88%).
- The average percentage count for each month with sufficient available data within the 1981-2010 period is calculated.
- This average is then reconverted to an average number of days for the month by multiplying the average percentage by the number of days in the month. February percentages should be multiplied by 28.25.
- The sum of the monthly normals as per above instructions constitute the annual normal.

The purpose for this procedure is to prevent the underestimation of count variables as a result of missing data within a month.

2.4 Secondary and other climatological surface parameters and units

Secondary climatological surface parameters (Table 3) are generally well recognized from standard CLIMAT messages and other common sources. Many are counts exceeding a threshold of temperature, precipitation, or wind. When parameter names with the term “threshold” are used, that word should be replaced with the numerical value representing the threshold being tested.

Table 3. Secondary climatological surface parameters from WMO-No. 1203, *WMO Guidelines on the Calculation of Climate Normals*.

Parameter_Code	Parameter_Name	Units
10	Mean_Station-Level_Pressure	hPa
11	Boundaries_of_quintiles_of_monthly_precipitation	mm
12	Number_of_Days_with_Maximum_Temperature_≥_threshold*_Deg_C	count
13	Number_of_Days_with_Minimum_Temperature_≤_threshold*_Deg_C	count
14	Number_of_Days_with_Maximum_Temperature_<_0_Deg_C	count
15	Number_of_Days_with_Minimum_Temperature_<_0_Deg_C	count
16	Number_of_Days_with_Daily_Precipitation_≥_threshold*_mm	count
17	Number_of_Days_with_Snow_Depth_>_threshold*_cm	count
18	Number_of_Days_with_Wind_Speed_≥_threshold*_m/s	count
19	Number_of_Days_with_Visibility_<_threshold*_m	count
20	Highest_Value_of_Mean_Daily_Temperature	Deg_C
21	Lowest_Value_of_Mean_Daily_Temperature	Deg_C
22	Highest_Value_of_Daily_Maximum_Temperature	Deg_C
23	Lowest_Value_of_Daily_Minimum_Temperature	Deg_C
24	Highest_Value_of_Daily_Precipitation	mm
25	Highest_Wind_Gust	m/s
26	Mean_Number_of_Days_with_Thunder	count
27	Mean_Number_of_Days_with_Hail	count
* For parameters with the word "threshold" specify a numerical value or qualifier, repeat as needed.		

In the "other" category, climatological surface parameters mentioned in the WMO-No. 1203 outside the principal and secondary lists are included in Table 4a. Element-statistics combinations used to define parameters in some 1961-1990 normals submissions but not directly referenced in WMO-No. 1203 are listed in Table 4b, often with the option of adopting user-selected thresholds for count statistics. Note that in Table 4b, the option for parameter code 99 is available if a Member wishes to submit a climatological surface parameter that is not described in the lists available.

Table 4a. Other climatological surface parameters from WMO-No. 1203, *WMO Guidelines on the Calculation of Climate Normals*.

Parameter_Code	Parameter_Name	Units
30	Cloud_Amount	okta
31	Global_Solar_Radiation	MJ/m2
32	Direct_Solar_Radiation	MJ/m2
33	Diffuse_Solar_Radiation	MJ/m2
34	Wind_Speed	m/sec
35	Wind_Direction	degrees
36	Soil_Temperature	Deg_C
37	Snowfall	cm
38	Relative_Humidity	%
39	Dewpoint_Temperature	Deg_C

Table 4b. Other climatological surface parameters utilized in the 1961-1990 normals collection effort. Some provide variations on a theme, others are somewhat unique to a given country.

Parameter_Code	Parameter_Name	Units
40	Rainfall	mm
41	Bright_Sunshine	hours
42	Calm_Winds	hours
43	Number_of_Days_with_Sandstorm/Thick Dust/Haze	count
44	Number_of_Days_with_Measurable_Bright_Sunshine	count
45	Number_of_Days_with_Lightning	count
46	Number_of_Days_with_Rain_Showers	count
47	Number_of_Days_with_Snowfall	count
48	Number_of_Days_with_Fog/Ice_Fog	count
49	Number_of_Days_with_Fog_Sky_Obscured	count
50	Number_of_Days_with_Fog_Sky_Unobscured	count
51	Number_of_Days_with_Haze/Smoke	count
52	Number_of_Days_with_Dust	count
53	Number_of_Days_with_Blowing_Dust/Sand	count
54	Number_of_Days_with_Visibility_≤_Threshold*_km	count
55	Number_of_Days_with_No_Sunshine	count
56	Number_of_Days_with_Dew	count
57	Number_of_Days_with_Rime/Glaze_Ice	count
58	Number_of_Days_with_Air_Frost	count
59	Number_of_Days_with_Grass_Frost	count
60	Number_of_Days_with_Gale_Force_Winds	count

Parameter_Code	Parameter_Name	Units
61	Number_of_Days_Maximum_Temperature_≤_threshold*_Deg_C	count
62	Number_of_Days_Minimum_Temperature_≥_threshold*_Deg_C	count
Ref.: 09831/2019-1.0 ICP	Number_of_Days_with_Dust/Haze/Mist	count
	Number_of_Days_Maximum_Temperature_>_threshold*_Deg_C	count
	Number_of_Days_Maximum_Temperature_<_threshold*_Deg_C	count
	Number_of_Days_Minimum_Temperature_>_threshold*_Deg_C	count
	Number_of_Days_Minimum_Temperature_<_threshold*_Deg_C	count
	Number_of_Days_with_Snowfall_≥_threshold*_cm	count
	Number_of_Days_with_Freezing_Rain/Drizzle	count
	Number_of_Days_with_Blowing_Snow	count
	Number_of_Days_with_Rain/Drizzle	count
	Number_of_Days_with_Snow/Hail	count
73	Number_of_Days_with_Fog/Mist	count
74	Number_of_Days_with_Ice_Storm	count
75	Number_of_Days_with_Thick_Haze	count
76	Number_of_Days_with_Rising_Sand	count
77	Number_of_Days_with_Mist	count
78	Number_of_Days_with_Squalls	count
79	Number_of_Days_with_Duststorm/Sandstorm	count
80	Number_of_Days_with_Sleet/Snow	count
81	Number_of_Days_with_Fog	count
82	Number_of_Days_with_Daily_Max_Wind_Speed_≥_threshold*_m/s	count
99	Custom_Element_Specified_by_Contributor	custom
* For parameters with the word "threshold" specify a numerical value or qualifier, repeat as needed.		

3. EXCEL SUBMISSION FOR EACH STATION RECORD

The Excel approach for the collection of Climatological Standard Normals is designed to be very simple to use and is compatible to most versions of Excel (Attachment II). Excel is the preferred solution for submitting Climatological Standard Normals at this time. Each climatological surface parameter is available in the Parameter tab of the Template workbook. The Template has the headers pre-defined for the principal climatological surface parameters, but for secondary and other parameters, the three fields in the Parameter tab (Parameter_Code, Parameter_Name, and Units) can be copied and pasted into blank header sections to be included in the submission. When including data in the section below the header, the station's WMO_Number and the Parameter_Code are the first two items in a data row, followed by the Calculation_Name and Calculation_Code for the parameter that can be copied and pasted from the Calculation Method tab. The monthly and annual (if available) data values then populate the remainder of the row. An Example tab shows a station submission with multiple parameters already entered.

As shown in Attachment II, each parameter included in a submission has an individual header and data table.

Header:

Column A: Parameter_Code

Column B: Parameter_Name

Column C: Units

Data:

Column A: WMO_Number

Column B: Parameter_Code

Column C: Calculation_Name

Column D: Calculation_Code

Columns E-P: January-December Normals Data

Column Q: Annual Normals Data

4. OPTIONAL ASCII SUBMISSION IN COMMA SEPARATED VALUES FORMAT (*.CSV)

In the previous normals collection in the 1990s, ASCII submissions were allowed in a variety of formats using a number of delimiter (blanks, multiple blanks, tabs, etc.). The current collection will reduce these possibilities to one, the use of Comma Separated Values format (*.csv). One of the key attributes of this approach is that vertical alignment of data columns will not be required (as is needed in space and tab delimited files) as long as commas are separating both existing and missing values. Files constructed like the Attachment III example will easily import into Excel, so that the final formatted version made available for all Climatological Standard Normals will all be uniform. The same relative positional formatting will be followed as in the Excel case, except the values will be in an ASCII text file with comma separate values.

5. PLANNING FOR 1991-2020 NORMALS

The collection of the 1981-2010 Climatological Standard Normals from WMO Members will serve as a lasting reference for climate information consumers globally. It will also serve as a test case for collecting the next 30-year Climatological Standard Normals for 1991-2020 in 2021. Lessons learned in the 1981-2010 collection will be applied to the upcoming case to improve the completeness and ease with which the data are collected.

This document, the Excel template with example, the ASCII *.cvs with example, and a copy of WMO-No. 1203 are located at: <ftp://ftp.ncdc.noaa.gov/pub/data/normals/WMO2010/>.

REFERENCES

World Meteorological Organization, 1996: Climatological Normals (CLINO) for the Period 1961-1990 (WMO-No. 847). Geneva

World Meteorological Organization, 2015: *Seventeenth World Meteorological Congress* (WMO-No. 1157). Geneva.

World Meteorological Organization, 2017: *WMO Guidelines on the Calculation of Climate Normals* (WMO-No. 1203). Geneva.

ATTACHMENT I: RECOMMENDED COLLECTION MECHANISMS BY REGION

Note: Members may choose to submit their 1981-2010 Climatological Standard Normals through any of the below mentioned CBS lead centers for GCOS. Members can also send their submissions directly to the U.S. NOAA National Centers for Environmental Information (NCEI) at gcos.ncdc@noaa.gov.

Region	Member States/ Territories	Collection mechanism	Alternative
RA I	All Members of RA I	CBS Lead Centre for GCOS Africa, Morocco (DMN*); cbs.lead.centre.4gcos@gmail.com	WMO, Geneva; wcdmp@wmo.int
RA II	All Members of RA II	CBS Lead Centre for GCOS Asia, Japan (JMA*); climatemonitor@met.kishou.go.jp	WMO, Geneva; wcdmp@wmo.int
RA III	All Members of RA III	CBS Lead Centre for GCOS South America, Chile (DMC*); gtorres@meteochile.cl	WMO, Geneva; wcdmp@wmo.int
RA IV	All countries of RA IV	CBS Lead Centre for GCOS North and Central America and the Caribbean, United States (NCEI*); gcos.ncdc@noaa.gov	WMO, Geneva; wcdmp@wmo.int
RA V	All Members of RA V	CBS Lead Centre for GCOS South West Pacific, Australia, (BOM*); GCOS_Lead_Centre_RAV@bom.gov.au	WMO, Geneva; wcdmp@wmo.int
RA VI	All Members of RA VI	CBS Lead Centre for GCOS Europe, Germany (DWD*); christiana.lefebvre@dwd.de	WMO, Geneva; wcdmp@wmo.int

* BOM: Bureau of Meteorology; DMC: [Dirección Meteorológica de Chile](#); DMN: [Direction de la météorologie nationale du Maroc](#); DWD: Deutscher Wetterdienst; JMA: Japan Meteorological Agency; NCEI: National Centers for Environmental Information.

ATTACHMENT II: EXAMPLE EXCEL FILE (SINGLE STATION PER TAB)

This example table shows a subset of the Excel Climatological Standard Normals spreadsheet for a station. The complete header is included, followed by headers and data fields for four of the eight principal element parameter combinations. The table subset ends on the right to the column for March, but in the template there are columns not shown to the right completing the twelve months and also providing a column for an annual value. Note the use of vertical bar characters to separate the latitude and longitude degrees, minutes, seconds, and direction so they will stay together if exported from the Excel file.

World Meteorological Organization Climate Normals for 1981-2010						
Single Station Data Sheet For All Climatological Surface Parameters						
Station Header Record						
Country_Name	UNITED_STATES_OF_AMERICA					
Station_Name	FAIRBANKS_INTL					
WMO_Number	Latitude	Longitude	Station_Height			
70261	64 49 00 N	147 52 00 W	133			
WMO Integrated Global Observing System (WIGOS) Station Identifier (if available)						
0-20000-0-70261						
Principal Climatological Surface Parameters						
Parameter_Code	Parameter_Name	Units				
1	Precipitation_Total	mm				
WMO_Number	Parameter_Code	Calculation_Name	Calculation_Code	January	February	March
70261	1	Sum	4	11.9	10.2	9.4
70261	1	NOY	98	30.0	30.0	30.0
Parameter_Code	Parameter_Name	Units				
2	Number_of_Days_with_Precipitation_>= 1 mm	count				
WMO_Number	Parameter_Code	Calculation_Name	Calculation_Code	January	February	March
70261	2	Count	5	3.8	2.8	3.0
70261	2	NOY	98	30.0	30.0	30.0
Parameter_Code	Parameter_Name	Units				
3	Daily_Maximum_Temperature	Deg_C				
WMO_Number	Parameter_Code	Calculation_Name	Calculation_Code	January	February	March
70261	3	Mean	1	-18.7	-13.8	-4.6
70261	3	NOY	98	30.0	30.0	30.0
Parameter_Code	Parameter_Name	Units				
4	Daily_Minimum_Temperature	Deg_C				
WMO_Number	Parameter_Code	Calculation_Name	Calculation_Code	January	February	March
70261	4	Mean	1	-28.1	-25.8	-18.7
70261	4	NOY	98	30.0	30.0	30.0

ATTACHMENT III: EXAMPLE ASCII FILE IN *.CSV FORMAT (SINGLE STATION PER FILE)

This example table shows a subset of an ASCII *.csv format Climatological Standard Normals file for a station. The complete header is included, followed by headers and data fields for four of the eight principal climatological surface parameters. The table subset shows entire parameter records for all months and the annual value, but the month labels end on the right at March due to space limitations here; in the example file there are month labels to the right completing the twelve months and also providing a column for an annual value. Note the use of vertical bar characters to separate the latitude and longitude degrees, minutes, seconds, and direction so they will stay together if imported into an Excel spreadsheet.

World Meteorological Organization Climate Normals for 1981-2010
Single Station Data Sheet For All Climatological Surface Parameters

Station Header Record

Country_Name,UNITED_STATES_OF_AMERICA
Station_Name,FAIRBANKS_INTL

WMO_Number,Latitude,Longitude,Station_Height
70261,64|49|00|N,147|52|00|W,133

WMO Integrated Global Observing System (WIGOS) Station Identifier (if available)
0-20000-0-70261

Principal Climatological Surface Parameters

Parameter_Code,Parameter_Name,Units
1,Precipitation_Total,mm

WMO_Number,Parameter_Code,Calculation_Name,Calculation_Code,January,February,March,
70261,1,Sum,4,11.9,10.2,9.4,8.1,15.5,34.8,47.5,49.8,24.1,22.9,20.3,21.6,276.1
70261,1,NOY,98,30,30,30,30,30,30,30,30,30,30,30,30,30

Parameter_Code,Parameter_Name,Units
2,Number_of_Days_with_Precipitation_>=1_mm,count

WMO_Number,Parameter_Code,Calculation_Name,Calculation_Code,January,February,March,
70261,2,Count,5,3.8,2.8,3.0,2.7,3.8,7.1,8.7,8.5,2.6,6.6,6.0,5.7,61.3
70261,2,NOY,98,30,30,30,30,30,30,30,30,30,30,30,30,30

Parameter_Code,Parameter_Name,Units
3,Daily_Maximum_Temperature,Deg_C

WMO_Number,Parameter_Code,Calculation_Name,Calculation_Code,January,February,March,
70261,3,Mean,1,-18.7,-13.8,-4.6,5,15.2,21.2,22.4,19.1,12.7,0,-11.7,-16.8,2.5
70261,3,NOY,98,30,30,30,30,30,30,30,30,30,30,30,30,30

Parameter_Code,Parameter_Name,Units
4,Daily_Minimum_Temperature,Deg_C

WMO_Number,Parameter_Code,Calculation_Name,Calculation_Code,January,February,March,
70261,4,Mean,1,-28.1,-25.8,-18.7,-6.4,3.3,9.7,11.4,8.4,2.3,-7.7,-20.9,-26,-8.2
70261,4,NOY,98,30,30,30,30,30,30,30,30,30,30,30,30,30
